

作りましょう 0.7

パラメタ方式フォントファミリ  
校とプリティプリントのソース

Tsukurimashou 0.7

Parametric Font Family  
Proofs and pretty-printed  
source code

Matthew Skala

[mskala@ansuz.sooke.bc.ca](mailto:mskala@ansuz.sooke.bc.ca)

2013年3月7日

March 7, 2013

Proofs and pretty-printed source code for Tsukurimashou  
Copyright © 2011, 2012 Matthew Skala

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, version 3.

As a special exception, if you create a document which uses this font, and embed this font or unaltered portions of this font into the document, this font does not by itself cause the resulting document to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the document might be covered by the GNU General Public License. If you modify this font, you may extend this exception to your version of the font, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

# Contents

I Infrastructure	13
preintro.mp	15
Infrastructure . . . . .	15
Font Parameter Defaults . . . . .	16
tsuku-bk.mp	18
tsuku-kg.mp	19
tsuku-mg.mp	20
tsuku-mi.mp	21
tsuku-ps.mp	22
tsuku-bq.mp	23
tsuku-dq.mp	24
tsuku-el.mp	25
tsuku-eq.mp	26
tsuku-lw.mp	27
intro.mp	28
fntbase.mp	46
General Library Functions . . . . .	46
Prefix And Suffix Handling . . . . .	53
A Module That Finds An Envelope Of A Path Drawn With A Pen . . . . .	55
Postscript Font Generation . . . . .	67
obstack.mp	89
Object Stack Data . . . . .	89
Object Stack Methods . . . . .	90
frac-intro.mp	95
latin-intro.mp	97
accent.mp	101
bcircle.mp	112
buildkanji.mp	115
dakuten.mp	131
enclosed.mp	132
genjimon.mp	134
hiragana.mp	146
Hiragana Vowels . . . . .	146
Hiragana Kakikukeko/Gagigugego . . . . .	151
Hiragana Sashisuseso/Zajizuzezo . . . . .	155
Hiragana Tachitsuteto/Dajizudedo . . . . .	161

Hiragana Naninuneno . . . . .	166
Hiragana Hahifuheho/Babibubebo/Papipupepo . . . . .	171
Hiragana Mamimumemo . . . . .	176
Hiragana Yayuyo . . . . .	182
Hiragana Rarirurero . . . . .	184
Hiragana Wawiwewo/N/Iteration . . . . .	190
iching.mp	198
katakana.mp	200
Katakana Vowels . . . . .	200
Katakana Kakikukeko/Gagigugego . . . . .	204
Katakana Sashisuseso/Zajizuzezo . . . . .	209
Katakana Tachitsuteto/Dajizudedo . . . . .	214
Katakana Naninuneno . . . . .	219
Katakana Hahifuheho/Babibubebo/Papipupepo . . . . .	224
Katakana Mamimumemo . . . . .	230
Katakana Yayuyo . . . . .	234
Katakana Rarirurero . . . . .	237
Katakana Wawiwewo/N/Iteration . . . . .	243
latin.mp	249
numerals.mp	338
ogonek.mp	349
punct.mp	361
serif.mp	403
 II Shared kyouiku kanji	 409
gradeone.mp	411
gradetwo.mp	478
gradethree.mp	551
gradefour.mp	590
gradefive.mp	619
gradesix.mp	631
 III Other shared kanji	 641
bottomrad.mp	643
leftrad.mp	646
radical.mp	654
rightrad.mp	689
toprad.mp	693
gradeeight.mp	698

gradenine.mp	732
rare.mp	759

IV U+0000 to U+2FFF	795
tsuku-00.mp	797
Ascii . . . . .	797
Latin-1 Extra Characters . . . . .	891
Accented Latin . . . . .	912
tsuku-01.mp	970
Latin Extended A Uppercase . . . . .	970
Latin Extended A Lowercase . . . . .	1025
Latin Extended A Other . . . . .	1083
tsuku-02.mp	1085
Latin Extended B . . . . .	1085
Spacing Modifier Letters . . . . .	1086
tsuku-03.mp	1095
Combining Diacritical Marks . . . . .	1095
tsuku-20.mp	1110
General Punctuation . . . . .	1110
tsuku-21.mp	1127
Symbols Required By Mes-1 . . . . .	1127
tsuku-24.mp	1133
Circled Numerals . . . . .	1133
Circled Latin And Zero . . . . .	1153
Inverted Circled Numerals . . . . .	1206
Doubly Circled Numerals . . . . .	1216
One More Inverted Circled Numeral . . . . .	1226
tsuku-25.mp	1228
Geometric Shapes . . . . .	1228
tsuku-26.mp	1230
I Ching . . . . .	1230
tsuku-27.mp	1247
Inverted Circled Numerals . . . . .	1247
tsuku-2e.mp	1258
Cjk Radicals Supplement . . . . .	1258
tsuku-2f.mp	1295
Kangxi Radicals . . . . .	1295
Ideographic Description Characters . . . . .	1415

V	U+3000 to U+4DFF	1429
	tsuku-30.mp	1431
	Ideographic Symbols And Punctuation . . . . .	1431
	Hiragana . . . . .	1451
	Katakana . . . . .	1496
	tsuku-31.mp	1543
	Phonetic Extensions For Ainu . . . . .	1543
	tsuku-32.mp	1560
	Circled Numerals . . . . .	1560
	Circled Katakana . . . . .	1590
	tsuku-34.mp	1638
	tsuku-4d.mp	1639
	I Ching . . . . .	1639
VI	U+4E00 to U+61FF	1705
	tsuku-4e.mp	1707
	tsuku-4f.mp	1744
	tsuku-50.mp	1798
	tsuku-51.mp	1808
	tsuku-52.mp	1820
	tsuku-53.mp	1850
	tsuku-54.mp	1873
	tsuku-55.mp	1885
	tsuku-56.mp	1891
	tsuku-57.mp	1898
	tsuku-58.mp	1905
	tsuku-59.mp	1911
	tsuku-5a.mp	1924
	tsuku-5b.mp	1926
	tsuku-5c.mp	1957
	tsuku-5d.mp	1981
	tsuku-5e.mp	1989
	tsuku-5f.mp	2024
	tsuku-60.mp	2069
	tsuku-61.mp	2118
VII	U+6200 to U+75FF	2125
	tsuku-62.mp	2127
	tsuku-63.mp	2143

tsuku-65.mp	2149
tsuku-66.mp	2165
tsuku-67.mp	2184
tsuku-68.mp	2199
tsuku-69.mp	2206
tsuku-6a.mp	2212
tsuku-6b.mp	2216
tsuku-6c.mp	2225
tsuku-6d.mp	2275
tsuku-6e.mp	2288
tsuku-6f.mp	2299
tsuku-70.mp	2304
tsuku-71.mp	2309
tsuku-72.mp	2311
tsuku-73.mp	2320
tsuku-74.mp	2321
tsuku-75.mp	2325

VIII U+7600 to U+89FF	2337
tsuku-76.mp	2339
tsuku-77.mp	2346
tsuku-78.mp	2356
tsuku-79.mp	2358
tsuku-7a.mp	2369
tsuku-7b.mp	2376
tsuku-7c.mp	2389
tsuku-7d.mp	2392
tsuku-7f.mp	2408
tsuku-80.mp	2413
tsuku-81.mp	2421
tsuku-82.mp	2426
tsuku-83.mp	2457
tsuku-84.mp	2469
tsuku-85.mp	2474
tsuku-86.mp	2476
tsuku-88.mp	2477
tsuku-89.mp	2482

IX	U+8A00 to U+9FFF	2487
	tsuku-8a.mp	2489
	tsuku-8b.mp	2544
	tsuku-8c.mp	2547
	tsuku-8d.mp	2555
	tsuku-8e.mp	2559
	tsuku-8f.mp	2564
	tsuku-90.mp	2576
	tsuku-91.mp	2595
	tsuku-92.mp	2606
	tsuku-93.mp	2610
	tsuku-95.mp	2613
	tsuku-96.mp	2630
	tsuku-97.mp	2652
	tsuku-98.mp	2656
	tsuku-99.mp	2667
	tsuku-9a.mp	2671
	tsuku-9b.mp	2675
	tsuku-9c.mp	2676
	tsuku-9e.mp	2678
	tsuku-9f.mp	2681
X	U+A000 to U+10FFFF	2683
	tsuku-f7.mp	2685
	Latin Small Caps . . . . .	2685
	tsuku-ff.mp	2712
	Full-Width Forms . . . . .	2712
	Half-Width Punctuation . . . . .	2738
	Half-Width Katakana . . . . .	2741
	tsuku-1f1.mp	2805
	Squared Latin . . . . .	2805
	Inverse Circled Latin . . . . .	2831
	Inverse Squared Latin . . . . .	2857
	tsuku-200.mp	2884
	tsuku-21c.mp	2885
	tsuku-f17.mp	2886
	Combining Dots For I Ching . . . . .	2886
	Miscellaneous . . . . .	2895
	Tomoe Ornaments . . . . .	2901



Heavy Metal Umlaut . . . . .	2909
Genjimon . . . . .	2926
tsuku-ff0.mp . . . . .	2980
Fraction Numerators . . . . .	2980
tsuku-ff1.mp . . . . .	2987
Fraction Denominators . . . . .	2987
 XI Jieubsida core . . . . .	 2989
hangul.mp . . . . .	2991
Jamo Combining Operations . . . . .	2993
jamo-basic.mp . . . . .	3001
Filler Jamo . . . . .	3001
Sios/Cieuc/Chieuch Family . . . . .	3001
Kiyeok . . . . .	3004
Nieun . . . . .	3005
Tikeut . . . . .	3007
Rieul . . . . .	3009
Mieum . . . . .	3010
Pieup . . . . .	3011
Sios . . . . .	3012
Ieung . . . . .	3012
Cieuc . . . . .	3013
Chieuch . . . . .	3014
Khieukh . . . . .	3015
Thieuth . . . . .	3016
Phieuph . . . . .	3017
Hieuh . . . . .	3019
Mixed Tails . . . . .	3020
Vowels . . . . .	3021
jamo-extra.mp . . . . .	3030
Pansios . . . . .	3033
Yesieung . . . . .	3033
Yeorinhieuh . . . . .	3034
Chitueum And Ceongchieum Variants . . . . .	3036
Kapyeoun Variants . . . . .	3037
hglextb.mp . . . . .	3038
Hangul Extension B . . . . .	3038
Hangul Jungseong (Vowel) Jamo Extension B . . . . .	3038
Hangul Jongseong (Tail) Jamo Extension B . . . . .	3061

jieub-bt.mp	3111
jieub-do.mp	3112
jieub-sm.mp	3113
hglpage.mp	3114
jieub-11.mp	3116
Hangul Choseong (Lead) Jamo . . . . .	3116
Hangul Jungseong (Vowel) Jamo . . . . .	3211
Hangul Jongseong (Tail) Jamo . . . . .	3282
jieub-31.mp	3371
Hangul Compatibility Jamo . . . . .	3371
jieub-a9.mp	3465
Hangul Choseong (Lead) Jamo Extended A . . . . .	3465
jieub-ac.mp	3495
 XII Jieubsida alternates	 3549
jieub-ff2.mp	3551
Hangul Jungseong (Vowel) Jamo . . . . .	3551
Hangul Jungseong (Vowel) Jamo Extension B . . . . .	3622
jieub-ff3.mp	3646
Hangul Choseong (Lead) Jamo . . . . .	3646
jieub-ff4.mp	3771
Hangul Choseong (Lead) Jamo . . . . .	3771
jieub-ff5.mp	3896
Hangul Choseong (Lead) Jamo . . . . .	3896
jieub-ff6.mp	4021
Hangul Choseong (Lead) Jamo . . . . .	4021
jieub-ff7.mp	4146
Hangul Choseong (Lead) Jamo . . . . .	4146
Hangul Choseong (Lead) Jamo Extended A . . . . .	4241
 XIII TsuIta	 4271
tsuita-common.mp	4273
tsuita-at.mp	4284
tsuita-so.mp	4285
Additional Proofs	4287
 XIV Blackletter Lolita	 4341
bll.mp	4343

bll-co.mp	4348
pentacross.mp	4349
Utilities For Pentagrams And Crosses . . . . .	4349
bll-f5c.mp	4351
Pentagrams . . . . .	4351



Volume X

U+A000 to U+10FFFF

tsuku-f7.mp

**F7**

tsuku-ff.mp

**FF**

tsuku-1f1.mp

**1F1**

tsuku-200.mp

**200**

tsuku-21c.mp

**21C**

tsuku-f17.mp

**F17**

tsuku-ff0.mp

**FF0**

tsuku-ff1.mp

**FF1**




## tsuku-f7.mp

F7

```
1 %
2 % Unicode page F7 (Adobe PUA) for Tsukurimashou
3 % Copyright (C) 2011, 2012 Matthew Skala
4 %
5-29 [Standard copyright notice]
30
31 _____
32
33 beginfont
34
35 input latin-intro.mp;
36
37 % AUTODEPS
38 input accent.mp;
39 input latin.mp;
40
41 do_late_includes;
42
43 transform tsu_xf.sc;
44
45 if is_proportional:
46   latin_wide_sc_top:=0.4[latin_wide_xheight,latin_wide_top];
47   (0,latin_wide_low_h) transformed tsu_xf.sc = (120,latin_wide_low_h);
48   (1000,latin_wide_low_h) transformed tsu_xf.sc = (880,latin_wide_low_h);
49   (0,latin_wide_top) transformed tsu_xf.sc = (120,latin_wide_sc_top);
50 else:
51   latin_wide_sc_top=0.1[latin_wide_xheight,latin_wide_top];
52   (0,latin_wide_low_h) transformed tsu_xf.sc = (20,latin_wide_low_h);
53   (1000,latin_wide_low_h) transformed tsu_xf.sc = (980,latin_wide_low_h);
54   (0,latin_wide_top) transformed tsu_xf.sc = (20,latin_wide_sc_top);
55 fi;
56
57 _____
58
```

## Latin Small Caps

```
59 % LATIN SMALL CAPS
60
61 % WARNING changing rescale setting
62 tsu_rescale_half;
63 tsu_accent.up_default_anchors;
64
```




```

65 % A
66 begintsuglyph("a.sc";97);
67   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upa))());
68   tsu_render;
69 endsuglyph;
70

```







```

71 % B
72 begintsuglyph("b.sc";98);
73 tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upb))());
74 tsu_render;
75 endtsuglyph;
76

```




```
77 % C
78 begintsuglyph("c.sc";99);
79 tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upc))());
80 tsu_render;
81 endtsuglyph;
82
```



```

83 % D
84 begintsuglyph("d.sc";100);
85   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upd))());
86   tsu_render;
87 endtsuglyph;
88


```



```

89 % E
90 begintsuglyph("e.sc",101);
91   tsu_xform(tsu_xf.sc)(tsu__accent.apply(tsu__accent.capital(latin.ue))());
92   tsu__render;
93 endsuglyph;
94


```



```

95 % F
96 begintsuglyph("f.sc";102);
97   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upf))());
98   tsu_render;
99 endtsuglyph;
100


```



```

101 % G
102 begintsuglyph("g.sc";103);
103   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upg))());
104   tsu_render;
105 endtsuglyph;
106


```



```

107 % H
108 begintsuglyph("h.sc";104);
109 tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.uph))());
110 tsu_render;
111 endsuglyph;
112

```




```

113 % I
114 begintsuglyph("i.sc";105);
115   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upi))());
116   tsu_render;
117 endsuglyph;
118

```






```

119 % J
120 begintsuglyph("j.sc";106);
121   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upj))());
122   tsu_render;
123 endsuglyph;
124


```



```

125 % K
126 begintsuglyph("k.sc",107);
127     tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upk))());
128     tsu_render;
129 endtsuglyph;
130


```



```

131 % L
132 begintsuglyph("l.sc";108);
133 tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upl))());
134 tsu_render;
135 endsuglyph;
136


```



```

137 % M
138 begintsuglyph("m.sc";109);
139 tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upm))());
140 tsu_render;
141 endtsuglyph;
142


```



```

143 % N
144 begintsuglyph("n.sc",110);
145   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upn))());
146   tsu_render;
147 endsuglyph;
148


```



```

149 % O
150 begintsuglyph("b.sc";111);
151   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upo))());
152   tsu_render;
153 endsuglyph;
154


```



```

155 % P
156 begintsuglyph("p.sc";112);
157 tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upp))());
158 tsu_render;
159 endsuglyph;
160

```




```

161 % Q
162 begintsuglyph("q.sc",113);
163   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upq))());
164   tsu_render;
165 endsuglyph;
166

```







```

167 % R
168 begint Suglyph("r.sc",114);
169   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upr))());
170   tsu_render;
171 endtsuglyph;
172

```




```
173 % S
174 begintsuglyph("s.sc";115);
175   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.ups))());
176   tsu_render;
177 endtsuglyph;
178
```



```

179 % T
180 begintsuglyph("t.sc";116);
181   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upt))());
182   tsu_render;
183 endsuglyph;
184


```



```

185 % U
186 begintsuglyph("u.sc",117);
187   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upu))());
188   tsu_render;
189 endsuglyph;
190


```



```

191 % V
192 begintsuglyph("v.sc";118);
193   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upv))());
194   tsu_render;
195 endsuglyph;
196


```



```

197 % W
198 begintsuglyph("w.sc";119);
199 tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upw))());
200 tsu_render;
201 endtsuglyph;
202


```



```

203 % X
204 begintsuglyph("x.sc",120);
205   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upx))());
206   tsu_render;
207 endsuglyph;
208

```




```

209 % Y
210 begintsuglyph("y.sc",121);
211   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upy))());
212   tsu_render;
213 endsuglyph;
214

```





```

215 % Z
216 begintsuglyph("z.sc";122);
217   tsu_xform(tsu_xf.sc)(tsu_accent.apply(tsu_accent.capital(latin.upz))());
218   tsu_render;
219 endsuglyph;
220
221 _____
222
223 endfont;
224
225 _____

```

# tsuku-ff.mp

FF

```
1 %
2 % Unicode page FF (Full-width and Half-width Forms) for Tsukurimashou
3 % Copyright (C) 2011, 2012 Matthew Skala
4 %
5-29 [Standard copyright notice]
30
31 

---



32
33 beginfont
34
35 input latin-intro.mp;
36
37 % AUTODEPS
38 input accent.mp;
39 input dakuten.mp;
40 input katakana.mp;
41 input latin.mp;
42 input numerals.mp;
43 input punct.mp;
44
45 do_late_includes;
46
47 

---


48
```

## Full-Width Forms

```
49 % FULL-WIDTH FORMS
50
51 % WARNING this code is substantially duplicated in tsuku-00; just
52 % enough differences to make sharing impractical
53
```



FF

```

54 % exclamation point
55 begintsuglyph("uniFF01",1);
56   if tsu_pbrush_size>=tsu_punct_size:
57     push_lcblob(fullcircle
58       xscaled (tsu_punct_size+tsu_pbrush_size)
59       yscaled (tsu_punct_size+tsu_pbrush_size*tsu_pbrush_shape)
60       rotated tsu_pbrush_angle
61       shifted (500,30));
62   else:
63     push_stroke(fullcircle scaled tsu_punct_size shifted (500,30),
64       (2,2)-(2,2)-(2,2)-(2,2)-cycle);
65     if tsu_pbrush_size>=3:
66       push_lcblob(get_stroke(0));
67     fi;
68   fi;
69
70   push_stroke((500,250){up}..(580,620){up}..{curl 1}(500,750){curl 1}..
71     (420,620){down}..{down}(500,250),
72     (2,2)-(2,2)-(2,2)-(2,2)-(2,2));
73
74   if tsu_pbrush_size>=30:


```

U+FF04  
tsuku.uniFF04

```
75     push_lcblob((subpath (0,1,3,9) of get_strokep(0))-cycle);
76     fi;
77     tsu_render;
78 endtsuglyph;
79
80 % ASCII (neither left nor right) quotation mark
81 begintsuglyph("uniFF02";2);
82     punct.asciiquote;
83     tsu_render;
84 endtsuglyph;
85
86 % number sign
87 begintsuglyph("uniFF03";3);
88     punct.numbersign;
89     tsu_render;
90 endtsuglyph;
91
```

[see page 362]

[see page 385]



```
92 % dollar sign
93 begintsuglyph("uniFF04";4);
94     tsu_xform(identity shifted -centre_pt
95         rotated -2 xyscaled (1.06,0.92) shifted centre_pt)(latin.ups);
```

```

96
97  numeric x[],y[];
98  x1=x2=0.38[xpart llcorner get_strokep(0),xpart lrcorner get_strokep(0)];
99  x3=x4=0.69[xpart llcorner get_strokep(0),xpart lrcorner get_strokep(0)];
100 y1=y3=1.12[latin_wide_low_r,latin_wide_high_r];
101 y2=y4=(-0.15)[latin_wide_low_r,latin_wide_high_r];
102
103 z5=(get_strokep(0) intersectionpoint (z1-z2))+(2,-1);
104 push_stroke((z1-z5-z2) shifted (0,1),
105   (2,2)-(2,2)-(2,2));
106 set_bosize(0,85);
107 set_boalternate(0);
108
109 z6=(get_strokep(-1) intersectionpoint (z3-z4))+(3,1);
110 push_stroke((z3-z6-z4) shifted (0,1),
111   (2,2)-(2,2)-(2,2));
112 set_bosize(0,85);
113 set_boalternate(0);
114
115 tsu_render;
116 endtsuglyph;
117
118 % percent
119 begintsuglyph("uniFF05";5);
120 punct.percent;
121 tsu_render;
122 endtsuglyph;
123
124 % ampersand
125 begintsuglyph("uniFF06";6);
126 punct.ampersand;
127 tsu_render;
128 endtsuglyph;
129

```


FF

[see page 389]

[see page 361]

U+FF07  
tsuku.uniFF07

FF




```

130 % apostrophe
131 begintsuglyph("uniFF07";7);
132 punct.make_comma((480,ymetric(0.94)),0);
133 tsu_render;
134 endtsuglyph;
135
136 % left and right parentheses
137 begintsuglyph("uniFF08";8);
138 punct.paren_left;
139 tsu_render;
140 endtsuglyph;
141 begintsuglyph("uniFF09";9);
142 punct.paren_right;
143 tsu_render;
144 endtsuglyph;
145

```

[see page 387]

[see page 388]



FF

```


146 % asterisk
147 begintsuglyph("uniFF0A",10);
148   begingroup
149     save lobe,glyph,nlobes;
150     path lobe,glyph;
151     numeric nlobes;
152
153     lobe:=(1,0){up}..((1+tsu_brush_max)*tsu_punct_size/4,280){up}
154       ..{curl 1}{0,350}{curl 1}
155       ..(-(1+tsu_brush_max)*tsu_punct_size/4,280){down};
156     if rescale_slant>50:
157       lobe:=(lobe..(-1,0){down}..(0,-1)..cycle) scaled (tsu_punct_size/90);
158       nlobes:=5;
159     else:
160       lobe:=(lobe..(lobe rotated 180)..cycle) scaled (tsu_punct_size/100);
161       nlobes:=3;
162     fi;
163
164     default_nib:=fix_nib(50*tsu_brush_max,
165       50*tsu_brush_max*tsu_brush_shape,
166       tsu_brush_angle);

```

U+FF0B  
tsuku.uniFF0B


```
167
168   for i:=0 upto nlobes-1:
169       pen_stroke()(lobe rotated (i*360/nlobes)
170                   shifted (centre_pt+(-250,0)))(glyph);
171       dangerousFill glyph.r;
172   endfor;
173 endgroup;
174 endtsuglyph;
175
```

FF



```
176 % plus
177 begint Suglyph("uniFF0B",11);
178   punct.plus
179   (identity scaled (2*tsu_punct_size) shifted centre_pt);
180   tsu_render;
181 endtsuglyph;
182
```







```
183 % comma
184 begintsuglyph("uniFF0C";12);
185   punct.make_comma((380,vmetric(0.03)),0);
186   tsu_render;
187 endtsuglyph;
188
```

U+FF0D  
tsuku.uniFF0D

FF



```
189 % hyphen-minus
190 beginsuglyph("uniFF0D";13);
191   punct.hminus
192     (identity scaled (2*tsu_punct_size) shifted centre_pt);
193   tsu_render;
194 endsuglyph;
195
```



```

196 % period
197 begintsuglyph("uniFF0E";14);
198 punct.make_period((380,vmetric(0.03)));
199 tsu_render;
200 endtsuglyph;
201
202 % slash
203 begintsuglyph("uniFF0F";15);
204 punct.slash;
205 tsu_render;
206 endtsuglyph;
207
208 % 0
209 begintsuglyph("uniFF10";16);
210 numeral.zero;
211 tsu_render;
212 endtsuglyph;
213
214 % 1
215 begintsuglyph("uniFF11";17);
216 numeral.one;

```


[see page 395]

[see page 338]

[see page 339]

```
217 tsu_render;
218 endtsuglyph;
219
220 % 2
221 begintsuglyph("uniFF12";18); [see page 340]
222 numeral.two;
223 tsu_render;
224 endtsuglyph;
225
226 % 3
227 begintsuglyph("uniFF13";19); [see page 341]
228 numeral.three;
229 tsu_render;
230 endtsuglyph;
231
232 % 4
233 begintsuglyph("uniFF14";20); [see page 342]
234 numeral.four;
235 tsu_render;
236 endtsuglyph;
237
238 % 5
239 begintsuglyph("uniFF15";21); [see page 343]
240 numeral.five;
241 tsu_render;
242 endtsuglyph;
243
244 % 6
245 begintsuglyph("uniFF16";22); [see page 344]
246 numeral.six;
247 tsu_render;
248 endtsuglyph;
249
250 % 7
251 begintsuglyph("uniFF17";23); [see page 345]
252 numeral.seven;
253 tsu_render;
254 endtsuglyph;
255
256 % 8
257 begintsuglyph("uniFF18";24); [see page 346]
258 numeral.eight;
259 tsu_render;
260 endtsuglyph;
261
262 % 9
263 begintsuglyph("uniFF19";25); [see page 347]
264 numeral.nine;
```

```
265 tsu_render;
266 endtsuglyph;
267
```




```
268 % colon
269 begint Suglyph("uniFF1A",26);
270 punct.make__period((380,vmetric(0.03)));
271 punct.make__period((380,vmetric(0.56)));
272 tsu_render;
273 endtsuglyph;
274
```


FF

U+FF1B  
tsuku.uniFF1B

FF



```
275 % semicolon
276 begintsuglyph("uniFF1B";27);
277 punct.make_comma((380,vmetric(0.03)),0);
278 punct.make_period((380,vmetric(0.56)));
279 tsu_render;
280 endtsuglyph;
281
```



FF


```

282 % less than
283 begintsuglyph("uniFF1C";28);
284 punct.less_than
285     (identity scaled (2.5*tsu_punct_size) shifted centre_pt);
286 tsu_render;
287 endtsuglyph;
288

```


U+FF1D  
tsuku.uniFF1D

FF



```
289 % equals
290 begintsuglyph("uniFF1D";29);
291 punct.equals
292     (identity scaled (2.5*tsu_punct_size) shifted centre_pt);
293 tsu_render;
294 endtsuglyph;
295
```





FF


```

296 % greater than
297 beginsuglyph("uniFF1E",30);
298 punct.greater_than
299     (identity scaled (2.5*tsu_punct_size) shifted centre_pt);
300 tsu_render;
301 endtsuglyph;
302

```

U+FF1F  
tsuku.uniFF1F

FF



```

303 % question mark
304 begintsuglyph("uniFF1F",31);
305     numeric r;
306     if tsu_pbrush_size>=tsu_punct_size:
307         push_lcblob(fullcircle
308             xscaled (tsu_punct_size+tsu_pbrush_size)
309             yscaled (tsu_punct_size+tsu_pbrush_size*tsu_pbrush_shape)
310             rotated tsu_pbrush_angle
311             shifted (480,10));
312         r:=tsu_pbrush_size;
313     else:
314         push_stroke(fullcircle scaled tsu_punct_size rotated 5 shifted (480,10),
315             (2,2)-(2,2)-(2,2)-(2,2)-cycle);
316         if tsu_pbrush_size>=30:
317             push_lcblob(get_stroke(0));
318         fi;
319         r:=tsu_punct_size;
320     fi;
321
322     push_stroke((480,300){right}..(480,300-r){left}..
323         (480,300+r)..(480+2.5*r,600)..

```

```

324     tension 1.3..(480-2.5*r,600+r)..
325     (480-2.5*r,600-r){right}..
326     (480-2.5*r,600){left},
327     (0.8,0.8)-(1,1)-(2,2)-(2,2)-(2,2)-(2,2)-(1,1)-(0.8,0.8));
328     replace_strokep(0)(insert_nodes(oldp)(2.5) rotatedaround ((480,10),-5));
329
330     tsu_render;
331 endtsuglyph;
332
333 % commercial at
334 begintsuglyph("uniFF20";32); [see page 364]
335     punct.at sign;
336     tsu_render;
337 endtsuglyph;
338
339 tsu_accent.up_default_anchors;
340
341 % A
342 begintsuglyph("uniFF21";33); [see page 249]
343     latin.upa;
344     tsu_render;
345 endtsuglyph;
346
347 % B
348 begintsuglyph("uniFF22";34); [see page 253]
349     latin.upb;
350     tsu_render;
351 endtsuglyph;
352
353 % C
354 begintsuglyph("uniFF23";35); [see page 254]
355     latin.upc;
356     tsu_render;
357 endtsuglyph;
358
359 % D
360 begintsuglyph("uniFF24";36); [see page 255]
361     latin.upd;
362     tsu_render;
363 endtsuglyph;
364
365 % E
366 begintsuglyph("uniFF25";37); [see page 258]
367     latin.upe;
368     tsu_render;
369 endtsuglyph;
370
371 % F

```

```
372 begintsuglyph("uniFF26";38); [see page 259]
373 latin.upf;
374 tsu_render;
375 endtsuglyph;
376
377 % G
378 begintsuglyph("uniFF27";39); [see page 261]
379 latin.upg;
380 tsu_render;
381 endtsuglyph;
382
383 % H
384 begintsuglyph("uniFF28";40); [see page 262]
385 latin.uph;
386 tsu_render;
387 endtsuglyph;
388
389 % I
390 begintsuglyph("uniFF29";41); [see page 263]
391 latin.upi;
392 tsu_render;
393 endtsuglyph;
394
395 % J
396 begintsuglyph("uniFF2A";42); [see page 264]
397 latin.upj;
398 tsu_render;
399 endtsuglyph;
400
401 % K
402 begintsuglyph("uniFF2B";43); [see page 266]
403 latin.upk;
404 tsu_render;
405 endtsuglyph;
406
407 % L
408 begintsuglyph("uniFF2C";44); [see page 267]
409 latin.upl;
410 tsu_render;
411 endtsuglyph;
412
413 % M
414 begintsuglyph("uniFF2D";45); [see page 268]
415 latin.upm;
416 tsu_render;
417 endtsuglyph;
418
419 % N
```

```

420 begintsuglyph("uniFF2E";46);
421   latin.upn;
422   tsu_render;
423 endtsuglyph;
424
425 % O
426 begintsuglyph("uniFF2F";47);
427   latin.upo;
428   tsu_render;
429 endtsuglyph;
430
431 % P
432 begintsuglyph("uniFF30";48);
433   latin.upp;
434   tsu_render;
435 endtsuglyph;
436
437 % Q
438 begintsuglyph("uniFF31";49);
439   latin.upq;
440   tsu_render;
441 endtsuglyph;
442
443 % R
444 begintsuglyph("uniFF32";50);
445   latin.upr;
446   tsu_render;
447 endtsuglyph;
448
449 % S
450 begintsuglyph("uniFF33";51);
451   latin.ups;
452   tsu_render;
453 endtsuglyph;
454
455 % T
456 begintsuglyph("uniFF34";52);
457   latin.upt;
458   tsu_render;
459 endtsuglyph;
460
461 % U
462 begintsuglyph("uniFF35";53);
463   latin.upu;
464   tsu_render;
465 endtsuglyph;
466
467 % V

```

[see page 270]

[see page 273]

[see page 276]

[see page 277]


[see page 278]

[see page 279]

[see page 281]

[see page 283]

```
468 begintsuglyph("uniFF36";54); [see page 284]
469 latin.upv;
470 tsu_render;
471 endtsuglyph;
472
473 % W
474 begintsuglyph("uniFF37";55); [see page 285]
475 latin.upw;
476 tsu_render;
477 endtsuglyph;
478
479 % X
480 begintsuglyph("uniFF38";56); [see page 287]
481 latin.upx;
482 tsu_render;
483 endtsuglyph;
484
485 % Y
486 begintsuglyph("uniFF39";57); [see page 288]
487 latin.upy;
488 tsu_render;
489 endtsuglyph;
490
491 % Z
492 begintsuglyph("uniFF3A";58); [see page 290]
493 latin.upz;
494 tsu_render;
495 endtsuglyph;
496
497 tsu_accent.clear_default_anchors;
498
499 % left and right square brackets
500 begintsuglyph("uniFF3B";59); [see page 396]
501 punct.sqb_left;
502 tsu_render;
503 endtsuglyph;
```



FF

```

504 % backslash
505 begintsuglyph("uniFF3C";60);
506   tsu_xform(identity reflectedabout (centre_pt,(centre_pt+down)))
507   (punct.slash);
508   tsu_render;
509 endtsuglyph;
510 begintsuglyph("uniFF3D";61);
511   punct.sqb_right;
512   tsu_render;
513 endtsuglyph;
514
515 % circumflex/caret
516 begintsuglyph("uniFF3E";62);
517   tsu_accent.circumflex;
518   tsu_render;
519 endtsuglyph;
520
521 % underscore
522 begintsuglyph("uniFF3F";63);
523   punct.underscore;
524   tsu_render;

```

[see page 397]

[see page 103]

[see page 398]

```

525 endtsuglyph;
526
527 % grave accent
528 begintsuglyph("uniFF40",64); [see page 105]
529   tsu__accent.grave;
530   tsu__render;
531 endtsuglyph;
532
533 tsu__accent.low_default_anchors;
534
535 % a
536 begintsuglyph("uniFF41",65); [see page 292]
537   latin.lowa;
538   tsu__render;
539 endtsuglyph;
540
541 % b
542 begintsuglyph("uniFF42",66); [see page 295]
543   latin.lowb;
544   tsu__render;
545 endtsuglyph;
546
547 % c
548 begintsuglyph("uniFF43",67); [see page 296]
549   latin.lowc;
550   tsu__render;
551 endtsuglyph;
552
553 % d
554 begintsuglyph("uniFF44",68); [see page 297]
555   latin.lowd;
556   tsu__render;
557 endtsuglyph;
558
559 % e
560 begintsuglyph("uniFF45",69); [see page 298]
561   latin.lowe;
562   tsu__render;
563 endtsuglyph;
564
565 % f
566 begintsuglyph("uniFF46",70); [see page 303]
567   latin.lowf;
568   tsu__render;
569 endtsuglyph;
570
571 % g
572 begintsuglyph("uniFF47",71); [see page 304]

```



```

573 latin.lowg;
574 tsu_render;
575 endtsuglyph;
576
577 % h
578 begintsuglyph("uniFF48",72);
579 latin.lowh;
580 tsu_render;
581 endtsuglyph;
582
583 % i
584 begintsuglyph("uniFF49",73);
585 latin.lowi;
586 tsu_render;
587 endtsuglyph;
588
589 % j
590 begintsuglyph("uniFF4A",74);
591 latin.lowj;
592 tsu_render;
593 endtsuglyph;
594
595 % k
596 begintsuglyph("uniFF4B",75);
597 latin.lowk;
598 tsu_render;
599 endtsuglyph;
600
601 % l
602 begintsuglyph("uniFF4C",76);
603 latin.lowl;
604 tsu_render;
605 endtsuglyph;
606
607 % m
608 begintsuglyph("uniFF4D",77);
609 latin.lowm;
610 tsu_render;
611 endtsuglyph;
612
613 % n
614 begintsuglyph("uniFF4E",78);
615 latin.lown;
616 tsu_render;
617 endtsuglyph;
618
619 % o
620 begintsuglyph("uniFF4F",79);

```

[see page 306]

[see page 307]

[see page 309]

[see page 311]

[see page 313]

[see page 314]

[see page 315]

[see page 318]

```
621 latin.lowo;
622 tsu_render;
623 endtsuglyph;
624
625 % p
626 begintsuglyph("uniFF50";80); [see page 320]
627 latin.lowp;
628 tsu_render;
629 endtsuglyph;
630
631 % q
632 begintsuglyph("uniFF51";81); [see page 321]
633 latin.lowq;
634 tsu_render;
635 endtsuglyph;
636
637 % r
638 begintsuglyph("uniFF52";82); [see page 323]
639 latin.lowr;
640 tsu_render;
641 endtsuglyph;
642
643 % s
644 begintsuglyph("uniFF53";83); [see page 324]
645 latin.lows;
646 tsu_render;
647 endtsuglyph;
648
649 % t
650 begintsuglyph("uniFF54";84); [see page 327]
651 latin.lowt;
652 tsu_render;
653 endtsuglyph;
654
655 % u
656 begintsuglyph("uniFF55";85); [see page 330]
657 latin.lowu;
658 tsu_render;
659 endtsuglyph;
660
661 % v
662 begintsuglyph("uniFF56";86); [see page 331]
663 latin.lowv;
664 tsu_render;
665 endtsuglyph;
666
667 % w
668 begintsuglyph("uniFF57";87); [see page 332]
```

```

669 latin.loww;
670 tsu_render;
671 endtsuglyph;
672
673 % x
674 begintsuglyph("uniFF58";88); [see page 334]
675 latin.lowx;
676 tsu_render;
677 endtsuglyph;
678
679 % y
680 begintsuglyph("uniFF59";89); [see page 335]
681 latin.lowy;
682 tsu_render;
683 endtsuglyph;
684
685 % z
686 begintsuglyph("uniFF5A";90); [see page 337]
687 latin.lowz;
688 tsu_render;
689 endtsuglyph;
690
691 tsu_accent.clear_default_anchors;
692
693 % left and right square brackets, around vertical line
694 begintsuglyph("uniFF5B";91); [see page 365]
695 punct.brace_left;
696 tsu_render;
697 endtsuglyph;
698 begintsuglyph("uniFF5C";92); [see page 399]
699 punct.vline;
700 tsu_render;
701 endtsuglyph;
702 begintsuglyph("uniFF5D";93); [see page 366]
703 punct.brace_right;
704 tsu_render;
705 endtsuglyph;
706
707 % "fullwidth tilde" - identical to "wave dash"
708 begintsuglyph("uniFF5E";94); [see page 400]
709 punct.wavedash;
710 tsu_render;
711 endtsuglyph;
712
713 begingroup
714 save rescale_slant;
715 rescale_slant:=0;
716

```

U+FF61  
tsuku.uniFF61


```
717 % left and right white parentheses
718 begintsuglyph("uniFF5F"95);
719 punct.wparen_left;
720 tsu_render;
721 endtsuglyph;
722 begintsuglyph("uniFF60"96);
723 punct.wparen_right;
724 tsu_render;
725 endtsuglyph;
726
727
728
```

[see page 401]

[see page 402]

Half-Width Punctuation


```
729 % HALF-WIDTH PUNCTUATION
730
731 % WARNING changing rescale setting
732 tsu_rescale_half;
733
```



```

734 % ideographic full stop
735 beginsuglyph("uniFF61";97);
736   punct.full_stop;
737   tsu_render;
738 endsuglyph;
739

```



```


740 % left and right corner brackets
741 beginsuglyph("uniFF62";98);
742   punct.corner_left;
743   tsu_render;
744 endsuglyph;

```


FF

U+FF63  
tsuku.uniFF63

FF



```
745 begint Suglyph("uniFF63";99);  
746 punct.corner_right;  
747 tsu_render;  
748 endtsuglyph;  
749
```



FF


```
750 % ideographic comma
751 beginsuglyph("uniFF64",100);
752   punct.hancomma;
753   tsu_render;
754 endsuglyph;
755
756
757
```

## Half-Width Katakana

```
758 % HALF-WIDTH KATAKANA
759
760 % WARNING changing rescale setting
761 tsu_rescale_half_katakana;
762
```


U+FF65  
tsuku.uniFF65

FF



```
763 % katakana middle dot
764 beginsuglyph("uniFF65",101);
765   Fill fullcircle scaled (200*tsu_brush_max) shifted (250,ypart centre_pt);
766 endtsuglyph;
767
```






FF


```
768 % katakana "wo"  
769 begint Suglyph("uniFF66",102);  
770 kata.wo;  
771 tsu_render;  
772 endtsuglyph;  
773
```

U+FF67  
tsuku.uniFF67

FF



```
774 % katakana "small a"  
775 begint Suglyph("uniFF67";103);  
776   tsu_xform(tsu_xf.smallkana)(kata.a);  
777   tsu_render;  
778 endtsuglyph;  
779
```




FF


```
780 % katakana "small i"  
781 beginsuglyph("uniFF68",104);  
782   tsu_xform(tsu_xf.smallkana)(kata.i);  
783   tsu_render;  
784 endsuglyph;  
785
```

U+FF69  
tsuku.uniFF69

FF



```
786 % katakana "small u"  
787 begintsuglyph("uniFF69";105);  
788   tsu_xform(tsu_xf.smallkana)(kata.u);  
789   tsu_render;  
790 endtsuglyph;  
791
```



FF


```

792 % katakana "small e"
793 beginsuglyph("uniFF6A";106);
794   tsu_xform(tsu_xf.smallkana)(kata.e);
795   tsu_render;
796 endsuglyph;
797


```

U+FF6B  
tsuku.uniFF6B

FF



```
798 % katakana "small o"
799 begintsuglyph("uniFF6B",107);
800 tsu_xform(tsu_xf.smallkana)(kata.o);
801 tsu_render;
802 endtsuglyph;
803
```




```

804 % katakana "small ya"
805 begint Suglyph("uniFF6C";108);
806   tsu_xform(tsu_xf.smallkana)(kata.ya);
807   tsu_render;
808 endtsuglyph;
809

```


U+FF6D  
tsuku.uniFF6D

FF



```
810 % katakana "small yu"  
811 begint Suglyph("uniFF6D";109);  
812   tsu_xform(tsu_xf.smallkana)(kata.yu);  
813   tsu_render;  
814 endtsuglyph;  
815
```





FF


```

816 % katakana "small yo"
817 begintsuglyph("uniFF6E";110);
818   tsu_xform(tsu_xf.smallkana)(kata.yo);
819   tsu_render;
820 endtsuglyph;
821


```

U+FF6F  
tsuku.uniFF6F

FF



```
822 % katakana "small tsu"
823 begintsuglyph("uniFF6F";111);
824   tsu_xform(tsu_xf.smallkana)(kata.tsu);
825   tsu_render;
826 endtsuglyph;
827
```




FF


```
828 % hira/kata "prolonged sound mark"
829 beginsuglyph("uniFF70";112);
830 tsu_xform(tsu_xf.smallkana)(punct.psound);
831 tsu_render;
832 endsuglyph;
833
```

U+FF71  
tsuku.uniFF71

FF




```
834 % katakana "a"  
835 begintsuglyph("uniFF71",113);  
836 kata.a;  
837 tsu_render;  
838 endtsuglyph;  
839
```




```
840 % katakana "i"  
841 begint Suglyph("uniFF72";114);  
842   kata.i;  
843   tsu_render;  
844 endtsuglyph;  
845
```

U+FF73  
tsuku.uniFF73

FF



```
846 % katakana "u"  
847 begint Suglyph("uniFF73";115);  
848 kata.u;  
849 tsu_render;  
850 endtsuglyph;  
851
```




FF

```
852 % katakana "e"  
853 begintsuglyph("uniFF74";116);  
854 kata.e;  
855 tsu_render;  
856 endtsuglyph;  
857
```


U+FF75  
tsuku.uniFF75

FF



```
858 % katakana "o"  
859 begintsuglyph("uniFF75";117);  
860   kata.o;  
861   tsu_render;  
862 endtsuglyph;  
863
```






FF


```
864 % katakana "ka"  
865 begint Suglyph("uniFF76",118);  
866   kata.ka;  
867   tsu_render;  
868 endtsuglyph;  
869
```

U+FF77  
tsuku.uniFF77

FF



```
870 % katakana "ki"  
871 beginsuglyph("uniFF77";119);  
872   kata.ki;  
873   tsu_render;  
874 endsuglyph;  
875
```




FF


```
876 % katakana "ku"  
877 begintsuglyph("uniFF78",120);  
878   kata.ku;  
879   tsu_render;  
880 endtsuglyph;  
881
```

U+FF79  
tsuku.uniFF79

FF



```
882 % katakana "ke"  
883 begint Suglyph("uniFF79";121);  
884   kata.ke;  
885   tsu_render;  
886 endtsuglyph;  
887
```



FF


```

888 % katakana "ko"
889 begintsuglyph("uniFF7A";122);
890 kata.ko;
891 tsu_render;
892 endtsuglyph;
893


```

U+FF7B  
tsuku.uniFF7B

FF



```
894 % katakana "sa"
895 begintsuglyph("uniFF7B",123);
896   kata.sa;
897   tsu_render;
898 endtsuglyph;
899
```




```
900 % katakana "shi"  
901 begintsuglyph("uniFF7C";124);  
902   kata.shi;  
903   tsu_render;  
904 endtsuglyph;  
905
```

FF


U+FF7D  
tsuku.uniFF7D

FF



```
906 % katakana "su"  
907 begint Suglyph("uniFF7D";125);  
908 kata.su;  
909 tsu_render;  
910 endtsuglyph;  
911
```





FF


```

912 % katakana "se"
913 begintsuglyph("uniFF7E";126);
914   kata.se;
915   tsu_render;
916 endtsuglyph;
917


```

U+FF7F  
tsuku.uniFF7F

FF



```
918 % katakana "so"  
919 begint Suglyph("uniFF7F";127);  
920 kata.so;  
921 tsu_render;  
922 endtsuglyph;  
923
```




FF


```
924 % katakana "ta"
925 begintsuglyph("uniFF80";128);
926 kata.ta;
927 tsu_render;
928 endtsuglyph;
929
```

U+FF81  
tsuku.uniFF81

FF



```
930 % katakana "chi"  
931 begint Suglyph("uniFF81";129);  
932 kata.chi;  
933 tsu_render;  
934 endtsuglyph;  
935
```



```


936 % katakana "tsu"
937 begintsuglyph("uniFF82";130);
938   kata.tsu;
939   tsu_render;
940 endtsuglyph;
941

```


FF

U+FF83  
tsuku.uniFF83

FF



```
942 % katakana "te"  
943 beginsuglyph("uniFF83",131);  
944 kata.te;  
945 tsu_render;  
946 endsuglyph;  
947
```




FF

```
948 % katakana "to"
949 begint Suglyph("uniFF84";132);
950   kata.toh;
951   tsu_render;
952 endtsuglyph;
953
```


U+FF85  
tsuku.uniFF85

FF



```
954 % katakana "na"  
955 beginsuglyph("uniFF85";133);  
956   kata.na;  
957   tsu_render;  
958 endsuglyph;  
959
```






FF


```
960 % katakana "ni"  
961 begint Suglyph("uniFF86",134);  
962   kata.ni;  
963   tsu_render;  
964 endtsuglyph;  
965
```

U+FF87  
tsuku.uniFF87

FF



```
966 % katakana "nu"  
967 begint Suglyph("uniFF87";135);  
968   kata.nu;  
969   tsu_render;  
970 endtsuglyph;  
971
```




FF


```
972 % katakana "ne"  
973 begint Suglyph("uniFF88";136);  
974   kata.ne;  
975   tsu_render;  
976 endtsuglyph;  
977
```

U+FF89  
tsuku.uniFF89

FF



```
978 % katakana "no"  
979 begintsuglyph("uniFF89";137);  
980 kata.no;  
981 tsu_render;  
982 endtsuglyph;  
983
```




```
984 % katakana "ha"  
985 beginsuglyph("uniFF8A",138);  
986   kata.ha;  
987   tsu_render;  
988 endsuglyph;  
989
```


FF

U+FF8B  
tsuku.uniFF8B

FF



```
990 % katakana "hi"  
991 begint Suglyph("uniFF8B";139);  
992   kata.hi;  
993   tsu_render;  
994 endtsuglyph;  
995
```




FF

```
996 % katakana "fu"
997 begint Suglyph("uniFF8C",140);
998 kata.fu;
999 tsu_render;
1000 endtsuglyph;
1001
```


U+FF8D  
tsuku.uniFF8D

FF



```
1002 % katakana "he"  
1003 begint Suglyph("uniFF8D";141);  
1004   kata.he;  
1005   tsu_render;  
1006 endtsuglyph;  
1007
```






```

1008 % katakana "ho"
1009 begint Suglyph("uniFF8E";142);
1010   kata.ho;
1011   tsu_render;
1012 endtsuglyph;
1013


```

U+FF8F  
tsuku.uniFF8F

FF



```
1014 % katakana "ma"  
1015 beginsuglyph("uniFF8F";143);  
1016   kata.ma;  
1017   tsu_render;  
1018 endsuglyph;  
1019
```




FF


```
1020 % katakana "mi"  
1021 begintsuglyph("uniFF90";144);  
1022   kata.mi;  
1023   tsu_render;  
1024 endtsuglyph;  
1025
```

U+FF91  
tsuku.uniFF91

FF



```
1026 % katakana "mu"  
1027 begintsuglyph("uniFF91",145);  
1028   kata.mu;  
1029   tsu_render;  
1030 endtsuglyph;  
1031
```




FF


```
1032 % katakana "me"  
1033 begint Suglyph("uniFF92";146);  
1034   kata.me;  
1035   tsu_render;  
1036 endtsuglyph;  
1037
```

U+FF93  
tsuku.uniFF93

FF




```
1038 % katakana "mo"
1039 begintsuglyph("uniFF93",147);
1040   kata.mo;
1041   tsu_render;
1042 endtsuglyph;
1043
```



```
1044 % katakana "ya"  
1045 begintsuglyph("uniFF94";148);  
1046   kata.ya;  
1047   tsu_render;  
1048 endtsuglyph;  
1049
```


U+FF95  
tsuku.uniFF95

FF



```
1050 % katakana "yu"  
1051 begint Suglyph("uniFF95",149);  
1052   kata.yu;  
1053   tsu_render;  
1054 endtsuglyph;  
1055
```






FF


```
1056 % katakana "yo"  
1057 begintsuglyph("uniFF96";150);  
1058   kata.yo;  
1059   tsu_render;  
1060 endtsuglyph;  
1061
```

U+FF97  
tsuku.uniFF97

FF



```
1062 % katakana "ra"
1063 begint Suglyph("uniFF97";151);
1064   kata.ra;
1065   tsu_render;
1066 endtsuglyph;
1067
```




FF


```
1068 % katakana "ri"  
1069 begint Suglyph("uniFF98",152);  
1070 kata.ri;  
1071 tsu_render;  
1072 endtsuglyph;  
1073
```

U+FF99  
tsuku.uniFF99

FF



```
1074 % katakana "ru"  
1075 begint Suglyph("uniFF99";153);  
1076   kata.ru;  
1077   tsu_render;  
1078 endtsuglyph;  
1079
```




```
1080 % katakana "re"  
1081 begint Suglyph("uniFF9A";154);  
1082   kata.re;  
1083   tsu_render;  
1084 endtsuglyph;  
1085
```


FF

U+FF9B  
tsuku.uniFF9B

FF



```
1086 % katakana "ro"
1087 begintsuglyph("uniFF9B";155);
1088   kata.ro;
1089   tsu_render;
1090 endtsuglyph;
1091
```




FF

```
1092 % katakana "wa"  
1093 begintsuglyph("uniFF9C",156);  
1094 kata.wa;  
1095 tsu_render;  
1096 endtsuglyph;  
1097
```

U+FF9D  
tsuku.uniFF9D

FF



```
1098 % katakana "n"
1099 begintsuglyph("uniFF9D";157);
1100   kata.n;
1101   tsu_render;
1102 endtsuglyph;
1103
1104 % WARNING changing rescale setting
1105 tsu_rescale_native_zero;
1106
```



U+FF9E  
tsuku.uniFF9E




FF


```
1107 % combining dakuten
1108 begintsuglyph("uniFF9E";158);
1109     dakuten(identity
1110         scaled 0.8 rotated 25 shifted (-130,780) xscaled 0.7);
1111     tsu_render;
1112 endtsuglyph;
1113
```

U+FF9F  
tsuku.uniFF9F

FF



```
1114 % combining handakuten
1115 begintsuglyph("uniFF9F";159);
1116   Fill fullcircle scaled (handakuten_outer*0.75) shifted (-90,780);
1117   unFill reverse fullcircle scaled (handakuten_inner*0.75) shifted (-90,780);
1118 endsuglyph;
1119
1120 endgroup;
1121
1122 % WARNING changing rescale setting
1123 tsu_rescale_full;
```



FF

```


1124
1125 begintsuglyph("uniFFE0";224);
1126   tsu_accent.apply(latin.lowc)(tsu_accent.slash);
1127   tsu_render;
1128 endtsuglyph;
1129
1130 begintsuglyph("uniFFE1";225);
1131   punct.pound;
1132   tsu_render;
1133 endtsuglyph;

```

[see page 392]

U+FFE2  
tsuku.uniFFE2

FF




```

1134
1135 begintsuglyph("uniFFE2";226);
1136   punct.notsign
1137     (identity scaled (1.5*tsu_punct_size) shifted centre_pt);
1138   tsu_render;
1139 endtsuglyph;
1140
1141 begintsuglyph("uniFFE3";227);
1142   tsu_accent.macron;
1143   tsu_render;
1144 endtsuglyph;
1145
1146 begintsuglyph("uniFFE4";228);
1147   punct.bvline;
1148   tsu_render;
1149 endtsuglyph;

```

[see page 107]

[see page 367]



FF


```

1150
1151 begint Suglyph("uniFFE5",229);
1152 latin.upy;
1153 push_stroke((( (-240,0)-(240,0)) shifted point 1 of get_stroke(-1),
1154 (2,2)-(2,2));
1155 set_bosize(0,80);
1156 push_stroke((( (-240,0)-(240,0)) shifted point 1.333 of get_stroke(-2),
1157 (2,2)-(2,2));
1158 set_bosize(0,80);
1159 tsu_render;
1160 endtsuglyph;

```

U+FFE6  
tsuku.uniFFE6

FF



```
1161
1162 begintsuglyph("uniFFE6",230);
1163   push_stroke((40,400)-(960,400),(2,2)-(2,2));
1164   set_bosize(0,80);
1165   latin.upw;
1166   tsu_render;
1167 endtsuglyph;
1168
1169
1170
1171 endfont;
1172
1173
```

# tsuku-1f1.mp

```
1 %
2 % Unicode page 1F1 (Enclosed Supplement) for Tsukurimashou
3 % Copyright (C) 2011, 2012 Matthew Skala
4 %
5-29 [Standard copyright notice]
30
31 _____
32
33 beginfont
34
35 input latin-intro.mp;
36
37 % AUTODEPS
38 input enclosed.mp;
39 input latin.mp;
40
41 do_late_includes;
42
43 _____
44
```


1F1

## Squared Latin

```
45 % SQUARED LATIN
46
```

U+1F130  
tsuku.u1F130

1F1




```

47 % A
48 begintsuglyph("u1F130";48);
49   square.single(latin.upa);
50   tsu__render;
51 endsuglyph;
52

```





1F1


```

53 % B
54 begintsuglyph("u1F131";49);
55   square.single(latin.upb);
56   tsu_render;
57 endtsuglyph;
58


```

U+1F132  
tsuku.u1F132

1F1




```
59 % C
60 begintsuglyph("u1F132",50);
61   square.single(latin.upc);
62   tsu_render;
63 endtsuglyph;
64
```




2809

U+1F134  
tsuku.u1F134

1F1



```
71 % E
72 begintsuglyph("u1F134";52);
73   square.single(latin.upe);
74   tsu_render;
75 endtsuglyph;
76
```



1F1


```

77 % F
78 begint Suglyph("u1F135";53);
79 square.single(latin.upf);
80 tsu_render;
81 endtsuglyph;
82


```

U+1F136  
tsuku.u1F136

1F1



```
83 % G
84 begintsuglyph("u1F136";54);
85   square.single(latin.upg);
86   tsu_render;
87 endtsuglyph;
88
```



1F1


```

89 % H
90 begintuglyph("u1F137",55);
91   square.single(latin.uph);
92   tsu_render;
93 endtuglyph;
94

```


U+1F138  
tsuku.u1F138

1F1



```
95 % I
96 begintsuglyph("u1F138",56);
97   square.single(latin.upi);
98   tsu_render;
99 endtsuglyph;
100
```







1F1

U+1F13A  
tsuku.u1F13A

1F1



```
107 % K
108 beginsuglyph("u1F13A",58);
109 square.single(latin.upk);
110 tsu_render;
111 endsuglyph;
112
```



1F1


```

113 % L
114 begint Suglyph("u1F13B";59);
115   square.single(latin.upl);
116   tsu_render;
117 endtsuglyph;
118

```

U+1F13C  
tsuku.u1F13C


1F1



```

119 % M
120 beginsuglyph("u1F13C";60);
121   square.single(latin.upm);
122   tsu_render;
123 endsuglyph;
124

```



1F1


```

125 % N
126 begintsuglyph("u1F13D",61);
127   square.single(latin.upn);
128   tsu_render;
129 endtsuglyph;
130


```

U+1F13E  
tsuku.u1F13E

1F1



```
131 % ○
132 begintsuglyph("u1F13E",62);
133   square.single(latin.upo);
134   tsu_render;
135 endtsuglyph;
136
```



1F1


```

137 % P
138 begintsuglyph("u1F13F",63);
139 square.single(latin.upp);
140 tsu_render;
141 endsuglyph;
142

```


U+1F140  
tsuku.u1F140

1F1



```
143 % Q
144 begintsuglyph("u1F140",64);
145   square.single(latin.upq);
146   tsu_render;
147 endtsuglyph;
148
```





1F1


```

149 % R
150 begint Suglyph("u1F141";65);
151   square.single(latin.upr);
152   tsu_render;
153 endtsuglyph;
154


```

U+1F142  
tsuku.u1F142

1F1



```
155 % S
156 begintsuglyph("u1F142",66);
157   square.single(latin.ups);
158   tsu_render;
159 endtsuglyph;
160
```



1F1


```

161 % T
162 begintuglyph("u1F143",67);
163   square.single(latin.upt);
164   tsu_render;
165 endtsuglyph;
166

```

U+1F144  
tsuku.u1F144


1F1



```

167 % U
168 begintsuglyph("u1F144",68);
169   square.single(latin.upu);
170   tsu_render;
171 endtsuglyph;
172

```



1F1


```

173 % V
174 begintsuglyph("u1F145",69);
175   square.single(latin.upv);
176   tsu_render;
177 endtsuglyph;
178


```

U+1F146  
tsuku.u1F146

1F1



```
179 % W
180 beginsuglyph("u1F146;70);
181 square.single(latin.upw);
182 tsu_render;
183 endtsuglyph;
184
```



1F1


```

185 % X
186 begintsuglyph("u1F147";71);
187   square.single(latin.upx);
188   tsu_render;
189 endtsuglyph;
190

```


U+1F148  
tsuku.u1F148

1F1



```
191 % Y
192 begintsuglyph("u1F148";72);
193   square.single(latin.upy);
194   tsu_render;
195 endtsuglyph;
196
```





1F1

```

197 % Z
198 begintsuglyph("u1F149";73);
199   square.single(latin.upz);
200   tsu_render;
201 endtsuglyph;
202
203
204
```


## Inverse Circled Latin

```

205 % INVERSE CIRCLED LATIN
206
```

U+1F150  
tsuku.u1F150


1F1



```

207 % A
208 % BACKGROUND 25CF
209 begintsuglyph("u1F150";80);
210   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upa);
211   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
212   tsu_render;
213 endtsuglyph;
214

```



1F1


```

215 % B
216 % BACKGROUND 25CF
217 begint Suglyph("u1F151";81);
218   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upb);
219   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
220   tsu_render;
221 endtsuglyph;
222

```

U+1F152  
tsuku.u1F152


1F1



```

223 % C
224 % BACKGROUND 25CF
225 begint Suglyph("u1F152";82);
226   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upc);
227   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
228   tsu_render;
229 endtsuglyph;
230

```



1F1


```

231 % D
232 % BACKGROUND 25CF
233 begint Suglyph("u1F153";83);
234   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upd);
235   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
236   tsu_render;
237 endtsuglyph;
238


```

U+1F154  
tsuku.u1F154

1F1



```
239 % E
240 % BACKGROUND 25CF
241 begint Suglyph("u1F154";84);
242   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upe);
243   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
244   tsu_render;
245 endtsuglyph;
246
```



1F1


```

247 % F
248 % BACKGROUND 25CF
249 begint Suglyph("u1F155";85);
250   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upf);
251   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
252   tsu_render;
253 endtsuglyph;
254

```

U+1F156  
tsuku.u1F156

1F1




```

255 % G
256 % BACKGROUND 25CF
257 begint Suglyph("u1F156";86);
258   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upg);
259   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
260   tsu_render;
261 endtsuglyph;
262

```





1F1


```

263 % H
264 % BACKGROUND 25CF
265 begintsuglyph("u1F157";87);
266   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.uph);
267   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
268   tsu_render;
269 endtsuglyph;
270


```

U+1F158  
tsuku.u1F158

1F1



```
271 % I
272 % BACKGROUND 25CF
273 begint Suglyph("u1F158";88);
274   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upi);
275   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
276   tsu_render;
277 endtsuglyph;
278
```



1F1


```

279 % J
280 % BACKGROUND 25CF
281 begint Suglyph("u1F159";89);
282   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upj);
283   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
284   tsu_render;
285 endtsuglyph;
286

```

U+1F15A  
tsuku.u1F15A


1F1



```


287 % K
288 % BACKGROUND 25CF
289 begint Suglyph("u1F15A";90);
290   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upk);
291   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
292   tsu_render;
293 endtsuglyph;
294

```



U+1F15C  
tsuku.u1F15C


1F1



```

303 % M
304 % BACKGROUND 25CF
305 begint Suglyph("u1F15C";92);
306   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upm);
307   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
308   tsu_render;
309 endtsuglyph;
310

```



1F1


```

311 % N
312 % BACKGROUND 25CF
313 begintsuglyph("u1F15D";93);
314 tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upn);
315 i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
316 tsu_render;
317 endtsuglyph;
318

```

U+1F15E  
tsuku.u1F15E

1F1



```

319 % O
320 % BACKGROUND 25CF
321 begint Suglyph("u1F15E";94);
322   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upo);
323   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
324   tsu_render;
325 endtsuglyph;
326

```






1F1

U+1F160  
tsuku.u1F160


1F1



```

335 % Q
336 % BACKGROUND 25CF
337 begint Suglyph("u1F160";96);
338   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upq);
339   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
340   tsu_render;
341 endtsuglyph;
342

```



1F1


```

343 % R
344 % BACKGROUND 25CF
345 begint Suglyph("u1F161";97);
346   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upr);
347   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
348   tsu_render;
349 endtsuglyph;
350

```

U+1F162  
tsuku.u1F162


1F1



```

351 % S
352 % BACKGROUND 25CF
353 begint Suglyph("u1F162";98);
354   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.ups);
355   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
356   tsu_render;
357 endtsuglyph;
358

```



1F1


```

359 % T
360 % BACKGROUND 25CF
361 begint Suglyph("u1F163";99);
362   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upt);
363   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
364   tsu_render;
365 endtsuglyph;
366

```

U+1F164  
tsuku.u1F164


1F1



```

367 % U
368 % BACKGROUND 25CF
369 begint Suglyph("u1F164",100);
370   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upu);
371   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
372   tsu_render;
373 endtsuglyph;
374

```



1F1


```

375 % V
376 % BACKGROUND 25CF
377 begint Suglyph("u1F165",101);
378   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upv);
379   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
380   tsu_render;
381 endtsuglyph;
382

```

U+1F166  
tsuku.u1F166

1F1




```

383 % W
384 % BACKGROUND 25CF
385 begint Suglyph("u1F166",102);
386   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upw);
387   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
388   tsu_render;
389 endtsuglyph;
390

```





1F1


```

391 % X
392 % BACKGROUND 25CF
393 begint Suglyph("u1F167",103);
394   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upx);
395   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
396   tsu_render;
397 endtsuglyph;
398

```

U+1F168  
tsuku.u1F168


1F1



```

399 % Y
400 % BACKGROUND 25CF
401 begint Suglyph("u1F168";104);
402   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upy);
403   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
404   tsu_render;
405 endtsuglyph;
406

```



1F1

```

407 % Z
408 % BACKGROUND 25CF
409 begint Suglyph("u1F169",105);
410   tsu_xform(tsu_xf.cletter shifted tsu_xf.circ_slant_shift)(latin.upz);
411   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
412   tsu_render;
413 endtsuglyph;
414
415
416

```

## Inverse Squared Latin


```

417 % INVERSE SQUARED LATIN
418

```

U+1F170  
tsuku.u1F170


1F1



```

419 % A
420 % BACKGROUND F1712
421 begint Suglyph("u1F170",112);
422   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upa);
423   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
424   tsu_render;
425 endtsuglyph;
426

```



1F1


```

427 % B
428 % BACKGROUND F1712
429 begintsuglyph("u1F171";113);
430 tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upb);
431 i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
432 tsu_render;
433 endtsuglyph;
434


```

U+1F172  
tsuku.u1F172

1F1




```
435 % C
436 % BACKGROUND F1712
437 begint Suglyph("u1F172",114);
438   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upc);
439   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
440   tsu_render;
441 endtsuglyph;
442
```



2861

U+1F174  
tsuku.u1F174

1F1




```

451 % E
452 % BACKGROUND F1712
453 begint Suglyph("u1F174",116);
454   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upe);
455   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
456   tsu_render;
457 endtsuglyph;
458

```





1F1


```

459 % F
460 % BACKGROUND F1712
461 begint Suglyph("u1F175",117);
462   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upf);
463   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
464   tsu_render;
465 endtsuglyph;
466


```

U+1F176  
tsuku.u1F176

1F1



```
467 % G
468 % BACKGROUND F1712
469 begint Suglyph("u1F176",118);
470 tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upg);
471 i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
472 tsu_render;
473 endtsuglyph;
474
```



1F1


```

475 % H
476 % BACKGROUND F1712
477 begintsuglyph("u1F177",119);
478   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.uph);
479   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
480   tsu_render;
481 endtsuglyph;
482


```

U+1F178  
tsuku.u1F178

1F1



```
483 % I
484 % BACKGROUND F1712
485 begint Suglyph("u1F178",120);
486   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upi);
487   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
488   tsu_render;
489 endtsuglyph;
490
```



1F1


```

491 % J
492 % BACKGROUND F1712
493 begint Suglyph("u1F179",121);
494   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upj);
495   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
496   tsu_render;
497 endtsuglyph;
498

```

U+1F17A  
tsuku.u1F17A


1F1



```

499 % K
500 % BACKGROUND F1712
501 begintsuglyph("u1F17A";122);
502   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upk);
503   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
504   tsu_render;
505 endtsuglyph;
506

```



1F1


```

507 % L
508 % BACKGROUND F1712
509 begint Suglyph("u1F17B",123);
510   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upl);
511   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
512   tsu_render;
513 endtsuglyph;
514

```

U+1F17C  
tsuku.u1F17C

1F1




```

515 % M
516 % BACKGROUND F1712
517 begint Suglyph("u1F17C";124);
518 if do_alteration:
519     tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift
520         shifted -centre_pt xscaled 0.95 shifted centre_pt)(latin.upm);
521 else:
522     tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upm);
523 fi;
524 i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
525 tsu_render;
526 endtsuglyph;
527

```





1F1


```

528 % N
529 % BACKGROUND F1712
530 begint Suglyph("u1F17D";125);
531   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upn);
532   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
533   tsu_render;
534 endtsuglyph;
535

```

U+1F17E  
tsuku.u1F17E


1F1



```

536 % O
537 % BACKGROUND F1712
538 begintsuglyph("u1F17E",126);
539   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upo);
540   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
541   tsu_render;
542 endtsuglyph;
543

```



1F1


```

544 % P
545 % BACKGROUND F1712
546 begint Suglyph("u1F17F";127);
547 tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upp);
548 i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
549 tsu_render;
550 endtsuglyph;
551

```

U+1F180  
tsuku.u1F180


1F1



```

552 % Q
553 % BACKGROUND F1712
554 begintsuglyph("u1F180";128);
555   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upq);
556   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
557   tsu_render;
558 endtsuglyph;
559

```



1F1


```

560 % R
561 % BACKGROUND F1712
562 begint Suglyph("u1F181",129);
563   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upr);
564   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
565   tsu_render;
566 endtsuglyph;
567


```

U+1F182  
tsuku.u1F182

1F1



```
568 % S
569 % BACKGROUND F1712
570 begint Suglyph("u1F182",130);
571   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.ups);
572   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
573   tsu_render;
574 endtsuglyph;
575
```



1F1


```

576 % T
577 % BACKGROUND F1712
578 begint Suglyph("u1F183",131);
579   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upt);
580   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
581   tsu_render;
582 endtsuglyph;
583

```

U+1F184  
tsuku.u1F184

1F1




```

584 % U
585 % BACKGROUND F1712
586 begint Suglyph("u1F184",132);
587 tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upu);
588 i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
589 tsu_render;
590 endtsuglyph;
591

```





1F1


```

592 % V
593 % BACKGROUND F1712
594 begintsuglyph("u1F185",133);
595   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upv);
596   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
597   tsu_render;
598 endtsuglyph;
599

```

U+1F186  
tsuku.u1F186


1F1



```

600 % W
601 % BACKGROUND F1712
602 begintsuglyph("u1F186",134);
603 if do_alteration:
604     tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift
605         shifted -centre_pt xscaled 0.95 shifted centre_pt)(latin.upw);
606 else:
607     tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upw);
608 fi;
609 i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
610 tsu_render;
611 endtsuglyph;
612

```



1F1


```

613 % X
614 % BACKGROUND F1712
615 begintsuglyph("u1F187";135);
616   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upx);
617   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
618   tsu_render;
619 endtsuglyph;
620

```

U+1F188  
tsuku.u1F188


1F1



```

621 % Y
622 % BACKGROUND F1712
623 begint Suglyph("u1F188";136);
624   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upv);
625   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
626   tsu_render;
627 endtsuglyph;
628

```



1F1

```

629 % Z
630 % BACKGROUND F1712
631 begint Suglyph("u1F189";137);
632   tsu_xform(tsu_xf.sletter shifted tsu_xf.circ_slant_shift)(latin.upz);
633   i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,107); i:=i-1; endfor;
634   tsu_render;
635 endtsuglyph;
636
637
638
639 endfont;
640
641

```

## tsuku-200.mp

```
1 %
2 % Unicode page 200 (Kanji) for Tsukurimashou
3 % Copyright (C) 2012, 2013 Matthew Skala
4 %
5-29 [Standard copyright notice]
30
31 

---


32
33 beginfont
34
35 % AUTODEPS
36 input buildkanji.mp;
37 input radical.mp;
38 input rare.mp;
39
40 do_late_includes;
41
42 

---


43
44 % "branch"
45 begintsuglyph("u200A2",162); [see page 763]
46   kanji.rare.branch;
47   tsu_render;
48 endtsuglyph;
49
50 % dui "mound"
51 begintsuglyph("u200A4",164); [see page 779]
52   kanji.rare.mound;
53   tsu_render;
54 endtsuglyph;
55
56 

---


57
58 endfont;
59
60 

---


```

## tsuku-21c.mp

```
1 %
2 % Unicode page 21C (Kanji) for Tsukurimashou
3 % Copyright (C) 2012 Matthew Skala
4 %
5-29 [Standard copyright notice]
30
31 

---


32
33 beginfont
34
35 % AUTODEPS
36 input buildkanji.mp;
37 input gradeeight.mp;
38 input radical.mp;
39 input rare.mp;
40
41 do_late_includes;
42
43 

---


44
45 % "ancient form of 'pig' radical" needed for grfour.print
46 begintsuglyph("u21C2F";47); [see page 759]
47   kanji.rare.ancient__pig;
48   tsu__render;
49 endtsuglyph;
50
51 

---


52
53 endfont;
54
55 

---


```

## tsuku-f17.mp


```
1 %
2 % Unicode page F17 (Tsukurimashou-specific extensions) for Tsukurimashou
3 % Copyright (C) 2011, 2012 Matthew Skala
4 %
5-29 [Standard copyright notice]
30
31
32
33 beginfont
34
35 input latin-intro.mp;
36
37 % AUTODEPS
38 input accent.mp;
39 input buildkanji.mp;
40 input enclosed.mp;
41 input genjimon.mp;
42 input gradeone.mp;
43 input iching.mp;
44 input katakana.mp;
45 input latin.mp;
46 input leftrad.mp;
47
48 do_late_includes;
49
50
51
```

F17

## Combining Dots For I Ching

```
52 % COMBINING DOTS FOR I CHING
53
54 % WARNING changing rescale setting
55 tsu_rescale_native_zero;
56
57 vardef make_iching_anchors(expr lnum,lmax) =
58   for i:=1 upto lmax:
59     push_anchor(if i=lnum: -1 else: 1 fi*anc_iching_line(i),
60       identity shifted (((1,i) transformed iching_xform)
61         +(1000-iching.size)*0.25*right+1000*left));
62   endfor;
63 enddef;
```






```

64
65 begintsuglyph("ichingdot1.6",1);
66   Fill iching.dot(1,6) shifted (-1000,0);
67   make_iching_anchors(1,6);
68   tsu_render;
69 endtsuglyph;


```

U+F1702  
tsuku.ichingdot2.6



**F17**

```
70
71 begint Suglyph("ichingdot2.6";2);
72   Fill iching.dot(2,6) shifted (-1000,0);
73   make_iching_anchors(2,6);
74   tsu_render;
75 endtsuglyph;
```




```

76
77 begintsuglyph("ichingdot3.6";3);
78   Fill iching.dot(3,6) shifted (-1000,0);
79   make_iching_anchors(3,6);
80   tsu_render;
81 endtsuglyph;


```

U+F1704  
tsuku.ichingdot4.6



**F17**

```
82
83 beginsuglyph("ichingdot4.6";4);
84   Fill iching.dot(4,6) shifted (-1000,0);
85   make_iching_anchors(4,6);
86   tsu_render;
87 endsuglyph;
```




```

88
89 begintsuglyph("ichingdot5.6";5);
90   Fill iching.dot(5,6) shifted (-1000,0);
91   make_iching_anchors(5,6);
92   tsu_render;
93 endtsuglyph;


```

U+F1706  
tsuku.ichingdot6.6




**F17**

```
94  
95 begint Suglyph("ichingdot6.6",6);  
96   Fill iching.dot(6,6) shifted (-1000,0);  
97   make_iching_anchors(6,6);  
98   tsu_render;  
99 endtsuglyph;
```



```
100
101 begintsuglyph("ichingdot1.3";7);
102   Fill iching.dot(1,3) shifted (-1000,0);
103   make_iching_anchors(1,3);
104   tsu_render;
105 endtsuglyph;
```


U+F1708  
tsuku.ichingdot2.3



**F17**

```
106
107 beginsuglyph("ichingdot2.3";8);
108   Fill iching.dot(2,3) shifted (-1000,0);
109   make_iching_anchors(2,3);
110   tsu_render;
111 endsuglyph;
```






```
112
113 begintsuglyph("ichingdot3.3";9);
114   Fill iching.dot(3,3) shifted (-1000,0);
115   make_iching_anchors(3,3);
116   tsu_render;
117 endtsuglyph;
118
119 % WARNING changing rescale setting
120 tsu_rescale_full;
121
122 _____
123
```

F17

## Miscellaneous

```
124 % MISCELLANEOUS
125
126 begingroup
127 save rescale_slant;
128 rescale_slant:=0;
```

U+F1710  
tsuku.Euro.official



**F17**

```


129
130 begintsuglyph("Euro.official",16);
131 z25=(fullcircle scaled 10) intersectionpoint ((0,0)-(10*dir 40));
132 z11=(0,-6);
133
134 z1=(0,6);
135 z2=(fullcircle scaled 12) intersectionpoint ((-10,1.5)-(0,1.5));
136 y3=y2;
137 z3-z4=whatever*(z25-z11);
138 z4=(-7.5,0.5);
139 z5=(fullcircle scaled 12) intersectionpoint ((-10,0.5)-(0,0.5));
140 z6=(-6,0);
141 z7=(fullcircle scaled 12) intersectionpoint ((-10,-0.5)-(0,-0.5));
142 y8=y7;
143 z8-z9=whatever*(z25-z11);
144 z9=(-7.5,-1.5);
145 z10=(fullcircle scaled 12) intersectionpoint ((-10,-1.5)-(0,-1.5));
146 z13=(fullcircle scaled 10) intersectionpoint ((0,0)-(10*dir 320));
147 z12=(fullcircle scaled 12) intersectionpoint (z13-(z13+(0,3)));
148 z14=(0,-5);
149 z15=(fullcircle scaled 10) intersectionpoint ((-10,-1.5)-(0,-1.5));

```

```

150 y16=-1.5;
151 z16=whatever[z11,z25];
152 y17=-0.5;
153 z17=whatever[z11,z25];
154 z18=(fullcircle scaled 10) intersectionpoint ((-10,-0.5)-(0,-0.5));
155 z19=(-5,0);
156 z20=(fullcircle scaled 10) intersectionpoint ((-10,0.5)-(0,0.5));
157 y21=0.5;
158 z21=whatever[z11,z25];
159 y22=1.5;
160 z22=whatever[z11,z25];
161 z23=(fullcircle scaled 10) intersectionpoint ((-10,1.5)-(0,1.5));
162 z24=(0,5);
163 z26=(fullcircle scaled 12) intersectionpoint (z11-1.5[z11,z25]);
164 path euro;
165 euro=z1..z2-z3-z4-z5..z6..z7-z8-z9-z10..z11..z12-z13..
166 z14..z15-z16-z17-z18..z19..z20-z21-z22-z23..z24..z25-z26..cycle;
167 dangerousFill euro scaled (400/6) shifted (centre_pt+90*right);
168 endtsuglyph;
169

```




170 % circled "katakana n"

U+F1712


tsuku.squarebackground

```
171 beginsuglyph("uF1711";17);
172   circle.single;
173   tsu_xform(tsu_xf.circled)(kata.n);
174   tsu_render_in_circle(tsu_xf.cbound);
175 endsuglyph;
176
```



F17

```
177 % background for use with enclosed alpha
178 beginsuglyph("squarebackground";18);
179   if sharp_corners:
180     dangerousFill (60,830)-(60,-50)-(940,-50)-(940,830)-cycle;
181   else:
182     path crnp;
183     crnp:=(60+1.5*tsu_punct_size,830){left}..
184       {down}(60,830-1.5*tsu_punct_size);
185     dangerousFill crnp-
186       (crnp rotatedaround (centre_pt,90))-
187       (crnp rotatedaround (centre_pt,180))-
188       (crnp rotatedaround (centre_pt,270))-cycle;
189   fi;
190 endsuglyph;
191
```




```

192 % Individual Eleven
193 vardef kanji.reference.enemy =
194   push_pbox_toexpand("kanji.reference.enemy");
195   build_kanji.lr(300,20)
196     (kanji.leftrad.person)
197     (kanji.grone.nine);
198   expand_pbox;
199 enddef;

```

U+F1713  
tsuku.individueleven



```

200 beginsuglyph("individualeleven",19);
201   numeric x[],y[];
202   z3=z7=centre_pt;
203   z3-z1=z5-z3;
204   z3-z2=z4-z3;
205   z3-z8=z6-z3;
206   y1=y3;
207   y2=y6;
208   x2=x8;
209   y2-y1=x2-x1;
210   x3-x1=290;
211   x2-x1=111;
212   save default_nib;
213   path default_nib;
214   path iepa,iepb;
215   default_nib:=fix_nib(53,53,0);
216   pen_stroke()(z1{up}..z2{right}..z3..z4{right}..{up}z5)(iepa);
217   dangerousFill iepa;
218   % do this in between the halves of the infinity, to work around a bug
219   dangerousFill unitsquare shifted (-0.5,-0.5) scaled 680
220     rotated 45 shifted centre_pt;

```

F17

```

221 dangerousFill reverse unitsquare shifted (-0.5,-0.5) scaled 590
222   rotated 45 shifted centre_pt;
223 pen_stroke()(z5{up}..z6{left}..z7..z8{left}..{up}z1)(iepb);
224 dangerousFill iepb;
225 build_kanji.sscale(scaled 0.22 shifted (0,230))
226   (kanji.reference.enemy);
227 build_kanji.sscale(xyscaled (0.25,0.20) shifted (0,-180))
228   (kanji.grone.ten);
229 build_kanji.sscale(scaled 0.20 shifted (0,-290))
230   (kanji.grone.one);
231 i:=0; forever: exitif find_stroke(i)<1; set_bosize(i,35); i:=i-1; endfor;
232 tsu_render;
233 endtsuglyph;
234
235
236

```

---

## Tomoe Ornaments


```

237 % TOMOE ORNAMENTS
238
239 vardef spiral_interpolate(expr start_cart,end_cart,ckpts,loops) =
240   begingroup
241     pair start_pol,end_pol,inter_pol;
242
243     start_pol:=(abs(start_cart),angle(start_cart));
244     end_pol:=(abs(end_cart),angle(end_cart));
245     if (ypart start_pol)-(ypart end_pol)>180:
246       start_pol:=start_pol+(0,-360);
247     fi;
248     if (ypart end_pol)-(ypart start_pol)>180:
249       end_pol:=end_pol+(0,-360);
250     fi;
251     end_pol:=end_pol+(0,360*loops);
252     for i=1 upto ckpts:
253       begingroup
254         inter_pol:=(i/(ckpts+1))[start_pol,end_pol];
255         ((dir ypart inter_pol)*xpart inter_pol)
256       endgroup
257       if i<ckpts: .. fi
258     endfor
259   endgroup
260 enddef;
261
262 vardef make_tomoe(expr k,ir,or,hr,phase,
263   tail_start,tail_advance,ckpts,do_flip) =
264   begingroup
265     path tomoe;

```

U+F1731  
tsuku.tomoe1


```
266 pair tail_tip;
267
268 loops:=if k=1: 1 else: 0 fi;
269 tail_tip:=(dir (tail_advance-360/k))*or;
270 tomoe:=(subpath (tail_start/90,3) of (right..up..left..down..cycle))
271   scaled hr shifted (ir+hr,0);
272 tomoe:=tomoe{curl 1}..
273   spiral_interpolate(point infinity of tomoe,tail_tip,ckpts,loops)..
274   {curl 1}tail_tip{curl 1}..
275   spiral_interpolate(tail_tip,point 0 of tomoe,ckpts,loops)..cycle;
276
277 if do_flip: tomoe:=tomoe xscaled -1; fi;
278
279 for i=1 upto k:
280   dangerousFill tomoe rotated (phase+i*360/k) shifted centre_pt;
281 endfor;
282 endgroup;
283 enddef;
284
```



```
285 % hitotsudomoe ornament
286 begintsuglyph("tomoe1",49);
```




```
287 make_tomoe(1,219450,335,105,0,35,6,false);  
288 endtsuglyph;  
289
```




```
290 % futatsudomoe ornament  
291 begintsuglyph("tomoe2",50);  
292 make_tomoe(2,17450,210,120,15,15,4,false);  
293 endtsuglyph;  
294
```

U+F1733  
tsuku.tomoe3



F17

```
295 % mitsudomoe ornament
296 begintsuglyph("tomoe3",51);
297   make_tomoe(3,81,450,185,130,5,15,3,false);
298 endtsuglyph;
299
```




```

300 % yotsudomoe ornament
301 begintsuglyph("tomoe4",52);
302   make_tomoe(4,104,450,162,47,12,12,4,false);
303 endtsuglyph;
304


```

U+F1735  
tsuku.tomoe5




F17

```
305 % 5-tsudomoe ornament
306 beginsuglyph("tomoe5",53);
307   make_tomoe(5,143,450,150,31,10,15,3,false);
308 endtsuglyph;
309
```




```
310 % 6-tsudomoe ornament
311 begintsuglyph("tomoe6",54);
312   make_tomoe(4,248,450,104,47,2,8,4,false);
313   make_tomoe(2,17,231,98,0,15,15,4,true);
314 endsuglyph;
315
```

U+F1737  
tsuku.tomoe7



F17

```
316 % 7-tsudomoe ornament
317 begintsuglyph("tomoe7";55);
318   make_tomoe(4,248,450,104,47,2,8,4,false);
319   make_tomoe(3,40,231,95,75,15,15,4,true);
320 endsuglyph;
321
```



```

322 % 8-tsudomoe ornament
323 begintsuglyph("tomoe8",56);
324   make_tomoe(5,260,450,92,47,2,8,4,false);
325   make_tomoe(3,40,231,92,75,15,25,4,true);
326 endtsuglyph;
327
328 endgroup;
329
330
331

```

F17


## Heavy Metal Umlaut

```

332 % HEAVY METAL UMLAUT
333
334 % WARNING, setting rescale
335 tsu_rescale_half;
336

```


U+F1740  
tsuku.dieresis.hmu



F17

```
337 % naked heavy metal umlaut
338 begintsuglyph("dieresis.hmu",64);
339   tsu_accent.apply()(tsu_accent.heavy_metal_umlaut);
340   tsu_render;
341 endtsuglyph;
342
343 % WARNING, setting rescale
344 tsu_rescale_combining_accent;
345
```







```

346 % combining heavy metal umlaut
347 begintsuglyph("uni0308.hmu",65);
348   tsu_accent.apply()(tsu_accent.heavy_metal_umlaut);
349   push_anchor(-anc_upper,accent_default[anc_upper]);
350   tsu_render;
351 endtsuglyph;
352
353 % WARNING, setting rescale
354 tsu_rescale_half;
355
356 tsu_accent.up_default_anchors;
357

```



2912




F17

```

365 % E with heavy metal umlaut
366 begint Suglyph("Edieresis.hmu",67);
367   tsu_accent.apply(tsu_accent.capital(latin.upe))
368     (tsu_accent.heavy_metal_umlaut);
369   tsu_render;
370 endtsuglyph;
371

```




F17

```

372 % I with heavy metal umlaut
373 begint Suglyph("Idieresis.hmu",68);
374   tsu_accent.apply(tsu_accent.capital(latin.upi))
375     (tsu_accent.heavy_metal_umlaut);
376   tsu_render;
377 endtsuglyph;
378

```




F17

```

379 % N with heavy metal umlaut
380 begint Suglyph("Ndieresis.hmu";69);
381   tsu_accent.apply(tsu_accent.capital(latin.upn))
382     (tsu_accent.heavy_metal_umlaut);
383   tsu_render;
384 endtsuglyph;
385

```




F17

```

386 % O with heavy metal umlaut
387 begintsuglyph("Odieresis.hmu;70);
388   tsu_accent.apply(tsu_accent.capital(latin.upo))
389     (tsu_accent.heavy_metal_umlaut);
390   tsu_render;
391 endsuglyph;
392

```




**F17**

```


393 % U with heavy metal umlaut
394 begint Suglyph("Udieresis.hmu";71);
395   tsu_accent.apply(tsu_accent.capital(latin.upu))
396   (tsu_accent.heavy_metal_umlaut);
397   tsu_render;
398 endts Suglyph;
399

```



2918






F17

```

409 % a with heavy metal umlaut
410 begintsuglyph("adieresis.hmu",73);
411   tsu_accent.apply(latin.low_a)(tsu_accent.heavy_metal_umlaut);
412   tsu_render;
413 endtsuglyph;
414

```




F17

```

415 % e with heavy metal umlaut
416 begintsuglyph("edieresis.hmu",74);
417   tsu_accent.apply(latin.lowe)(tsu_accent.heavy_metal_umlaut);
418   tsu_render;
419 endtsuglyph;
420

```




F17

```

421 % i with heavy metal umlaut
422 begintsuglyph("idieresis.hmu",75);
423   tsu_accent.apply(
424     tsu_xform(identity shifted (70,0))(latin.lowi;
425       tsu_accent.shift_anchors(true)((0,0)));
426     pop_lcblob;
427   )(tsu_accent.heavy_metal_umlaut);
428   tsu_render;
429 endsuglyph;
430

```




F17

```

431 % n with heavy metal umlaut
432 beginsuglyph("ndieresis.hmu";76);
433   tsu_accent.apply(latin.lown)(tsu_accent.heavy_metal_umlaut);
434   tsu_render;
435 endsuglyph;
436


```



```

437 % o with heavy metal umlaut
438 begintsuglyph('odieresis.hmu';77);
439   tsu_accent.apply(latin.lowo)(tsu_accent.heavy_metal_umlaut);
440   tsu_render;
441 endtsuglyph;
442

```




F17

```

443 % u with heavy metal umlaut
444 begintsuglyph("udieresis.hmu",78);
445   tsu_accent.apply(latin.lowu)(tsu_accent.heavy_metal_umlaut);
446   tsu_render;
447 endtsuglyph;
448

```



F17


```

449 % y with heavy metal umlaut
450 beginsuglyph("ydieresis.hmu";79);
451   tsu_accent.apply(latin.lowy)(tsu_accent.heavy_metal_umlaut);
452   tsu_render;
453 endtsuglyph;
454
455 tsu_accent.clear_default_anchors;
456
457
458

```

## Genjimon


```
459 % GENJIMON
460
461 begingroup
462 save rescale_slant;
463 rescale_slant:=0;
464
465 % WARNING, setting rescale
466 tsu_rescale_full;
467
468 input genjimon.mp;
469
```



F17


```
470 % #1 Kiritsubo
471 begintsuglyph("genjimon01",193);
472   genjimon.kiritsubo;
473 endtsuglyph;
474
```






```
475 % #2 Hahakigi
476 beginsuglyph("genjimon02";194);
477   genjimon.hahakigi;
478 endsuglyph;
479
```

U+F17C3  
tsuku.genjimon03




F17

```
480 % #3 Utsusemi
481 beginsuglyph("genjimon03",195);
482   genjimon.utsusemi;
483 endsuglyph;
484
```




```
485 % #4 Yuugao
486 begintsuglyph("genjimon04";196);
487   genjimon.yuugao;
488 endtsuglyph;
489
```

U+F17C5  
tsuku.genjimon05




F17

```
490 % #5 Wakamurasaki
491 begintsuglyph("genjimon05";197);
492   genjimon.wakamurasaki;
493 endtsuglyph;
494
```




```
495 % #6 Suetsumuhana
496 beginsuglyph("genjimon06;198);
497   genjimon.suetsumuhana;
498 endsuglyph;
499
```

U+F17C7  
tsuku.genjimon07




F17

```
500 % #7 Momiji no Ga
501 begintsuglyph("genjimon07";199);
502   genjimon.momiji_no_ga;
503 endtsuglyph;
504
```



```
505 % #8 Hana no En
506 beginsuglyph("genjimon08";200);
507   genjimon.hana_no_en;
508 endsuglyph;
509
```


U+F17C9  
tsuku.genjimon09



F17


```
510 % #9 Aoi
511 beginsuglyph("genjimon09";201);
512   genjimon.aoi;
513 endsuglyph;
514
```






```
515 % #10 Sakaki
516 beginsuglyph("genjimon10",202);
517   genjimon.sakaki;
518 endsuglyph;
519
```

U+F17CB  
tsuku.genjimon11




```
520 % #11 Hana Chiru Sato
521 begintsuglyph("genjimon11";203);
522   genjimon.hana_chiru_sato;
523 endtsuglyph;
524
```

F17




```
525 % #12 Suma
526 beginsuglyph("genjimon12",204);
527   genjimon.suma;
528 endsuglyph;
529
```

U+F17CD  
tsuku.genjimon13




F17

```
530 % #13 Akashi
531 begintsuglyph("genjimon13";205);
532   genjimon.akashi;
533 endtsuglyph;
534
```




```
535 % #14 Miotsukushi
536 beginsuglyph("genjimon14";206);
537   genjimon.miotsukushi;
538 endsuglyph;
539
```

U+F17CF  
tsuku.genjimon15




F17

```
540 % #15 Yomogyuu
541 beginsuglyph("genjimon15";207);
542   genjimon.yomogyuu;
543 endsuglyph;
544
```



```
545 % #16 Sekiya
546 begintsuglyph("genjimon16";208);
547   genjimon.sekiya;
548 endtsuglyph;
549
```


U+F17D1  
tsuku.genjimon17



F17


```
550 % #17 Eawase
551 begintsuglyph("genjimon17";209);
552   genjimon.eawase;
553 endtsuglyph;
554
```






```
555 % #18 Matsukaze
556 beginsuglyph("genjimon18",210);
557   genjimon.matsukaze;
558 endsuglyph;
559
```

U+F17D3  
tsuku.genjimon19



F17


```
560 % #19 Usugumo
561 begintsuglyph("genjimon19";211);
562   genjimon.usugumo;
563 endtsuglyph;
564
```



```
565 % #20 Asagao
566 begint Suglyph("genjimon20";212);
567   genjimon.asagao;
568 endtsuglyph;
569
```


**F17**

U+F17D5  
tsuku.genjimon21




F17

```
570 % #21 Otome
571 begintsuglyph("genjimon21",213);
572   genjimon.otome;
573 endtsuglyph;
574
```




```
575 % #22 Tamakazura
576 beginsuglyph("genjimon22";214);
577   genjimon.tamakazura;
578 endsuglyph;
579
```

U+F17D7  
tsuku.genjimon23




F17

```
580 % #23 Hatsune
581 beginsuglyph("genjimon23";215);
582   genjimon.hatsune;
583 endsuglyph;
584
```



```
585 % #24 Kochou
586 begintsuglyph("genjimon24";216);
587   genjimon.kochou;
588 endtsuglyph;
589
```


U+F17D9  
tsuku.genjimon25



F17


```
590 % #25 Hotaru
591 begintsuglyph("genjimon25";217);
592   genjimon.hotaru;
593 endtsuglyph;
594
```






```
595 % #26 Tokonatsu
596 beginsuglyph("genjimon26",218);
597   genjimon.tokonatsu;
598 endsuglyph;
599
```

U+F17DB  
tsuku.genjimon27




F17

```
600 % #27 Kagaribi
601 begintsuglyph("genjimon27";219);
602   genjimon.kagaribi;
603 endtsuglyph;
604
```




```
605 % #28 Nowaki
606 beginsuglyph("genjimon28";220);
607   genjimon.nowaki;
608 endsuglyph;
609
```

U+F17DD  
tsuku.genjimon29



```
610 % #29 Miyuki
611 begint Suglyph("genjimon29";221);
612   genjimon.miyuki;
613 endts Suglyph;
614
```


**F17**



```
615 % #30 Fujibakama
616 begint Suglyph("genjimon30";222);
617   genjimon.fujibakama;
618 endtsuglyph;
619
```


**F17**

U+F17DF  
tsuku.genjimon31




F17

```
620 % #31 Makibashira
621 begintsuglyph("genjimon31";223);
622   genjimon.makibashira;
623 endtsuglyph;
624
```



```
625 % #32 Umegae
626 beginsuglyph("genjimon32";224);
627   genjimon.umegae;
628 endsuglyph;
629
```


U+F17E1  
tsuku.genjimon33



F17

```
630 % #33 Fuji no Uraba
631 begintsuglyph("genjimon33",225);
632   genjimon.fuji_no_uraba;
633 endtsuglyph;
634
```






```
635 % #34 Wakana no Jou
636 begint Suglyph("genjimon34",226);
637     genjimon.wakana_no_jou;
638 endts Suglyph;
639
```


**F17**

U+F17E3  
tsuku.genjimon35



```
640 % #35 Wakana no Ge
641 begintsuglyph("genjimon35",227);
642   genjimon.wakana_no_ge;
643 endtsuglyph;
644
```


F17



```
645 % #36 Kashiwagi
646 begint Suglyph("genjimon36",228);
647   genjimon.kashiwagi;
648 endts Suglyph;
649
```


F17

U+F17E5  
tsuku.genjimon37



```
650 % #37 Yokobue
651 begintsuglyph("genjimon37";229);
652   genjimon.yokobue;
653 endsuglyph;
654
```


**F17**



```
655 % #38 Suzumushi
656 begintsuglyph("genjimon38";230);
657   genjimon.suzumushi;
658 endsuglyph;
659
```


**F17**

U+F17E7  
tsuku.genjimon39




F17

```
660 % #39 Yuugiri
661 begintsuglyph("genjimon39",231);
662   genjimon.yuugiri;
663 endtsuglyph;
664
```



```
665 % #40 Minori
666 beginsuglyph("genjimon40";232);
667   genjimon.minori;
668 endsuglyph;
669
```


U+F17E9  
tsuku.genjimon41



F17


```
670 % #41 Maboroshi
671 begintsuglyph("genjimon41";233);
672   genjimon.maboroshi;
673 endtsuglyph;
674
```






```
675 % #42 Ninounomiya
676 begintsuglyph("genjimon42";234);
677   genjimon.ninounomiya;
678 endtsuglyph;
679
```

U+F17EB  
tsuku.genjimon43




```
680 % #43 Koubai
681 begintsuglyph("genjimon43",235);
682   genjimon.koubai;
683 endtsuglyph;
684
```

F17




```
685 % #44 Takegawa
686 beginsuglyph("genjimon44";236);
687   genjimon.takegawa;
688 endsuglyph;
689
```

U+F17ED  
tsuku.genjimon45




F17

```
690 % #45 Hashihime
691 begintsuglyph("genjimon45",237);
692   genjimon.hashihime;
693 endtsuglyph;
694
```




```
695 % #46 Shii ga Moto
696 begintsuglyph("genjimon46",238);
697   genjimon.shii_ga_moto;
698 endtsuglyph;
699
```

U+F17EF  
tsuku.genjimon47




F17

```
700 % #47 Agemaki
701 beginsuglyph("genjimon47";239);
702   genjimon.agemaki;
703 endsuglyph;
704
```



```
705 % #48 Sawarabi
706 beginsuglyph("genjimon48";240);
707   genjimon.sawarabi;
708 endsuglyph;
709
```


U+F17F1  
tsuku.genjimon49



F17


```
710 % #49 Yadorigi
711 begintsuglyph("genjimon49",241);
712   genjimon.yadorigi;
713 endtsuglyph;
714
```






```
715 % #50 Azumaya
716 begintsuglyph("genjimon50";242);
717   genjimon.azumaya;
718 endtsuglyph;
719
```

U+F17F3  
tsuku.genjimon51




```
720 % #51 Ukifune
721 begint Suglyph("genjimon51";243);
722   genjimon.ukifune;
723 endtsuglyph;
724
```

**F17**




```
725 % #52 Kagerou
726 beginsuglyph("genjimon52";244);
727   genjimon.kagerou;
728 endsuglyph;
729
```

U+F17F5  
tsuku.genjimon53



F17

```
730 % #53 Tenarai
731 begintsuglyph("genjimon53",245);
732   genjimon.tenarai;
733 endtsuglyph;
734
```



```

735 % #54 Yume no Ukihashi
736 begintsuglyph("genjimon54";246);
737   genjimon.yume_no_ukihashi;
738 endtsuglyph;
739
740 endgroup;
741
742
743
744 endfont;
745
746

```

# tsuku-ff0.mp

```
1 %
2 % Unicode page FF0 (Fraction Numerators) for Tsukurimashou
3 % Copyright (C) 2011 Matthew Skala
4 %
5-29 [Standard copyright notice]
30
31 _____
32
33 beginfont
34
35 input latin-intro.mp;
36 input numerals.mp;
37 input frac-intro.mp;
38
39 _____
40
```

## Fraction Numerators

```
41 % FRACTION NUMERATORS
42
43 transform nxf[];
44
45 (frac.in.x1,frac.in.y1) transformed nxf1=(frac.one.x1,frac.one.y4);
46 (frac.in.x2,frac.in.y1) transformed nxf1=(frac.one.x2,frac.one.y4);
47 (frac.in.x1,frac.in.y2) transformed nxf1=(frac.one.x1,frac.one.y5);
48
49 (frac.in.x1,frac.in.y1) transformed nxf2=(frac.two.x1,frac.two.y4);
50 (frac.in.x2,frac.in.y1) transformed nxf2=(frac.two.x2,frac.two.y4);
51 (frac.in.x1,frac.in.y2) transformed nxf2=(frac.two.x1,frac.two.y5);
52 (frac.in.x1,frac.in.y1) transformed nxf3=(frac.two.x2,frac.two.y4);
53 (frac.in.x2,frac.in.y1) transformed nxf3=(frac.two.x3,frac.two.y4);
54 (frac.in.x1,frac.in.y2) transformed nxf3=(frac.two.x2,frac.two.y5);
55
56 (frac.in.x1,frac.in.y1) transformed nxf4=(frac.three.x1,frac.three.y4);
57 (frac.in.x2,frac.in.y1) transformed nxf4=(frac.three.x2,frac.three.y4);
58 (frac.in.x1,frac.in.y2) transformed nxf4=(frac.three.x1,frac.three.y5);
59 (frac.in.x1,frac.in.y1) transformed nxf5=(frac.three.x2,frac.three.y4);
60 (frac.in.x2,frac.in.y1) transformed nxf5=(frac.three.x3,frac.three.y4);
61 (frac.in.x1,frac.in.y2) transformed nxf5=(frac.three.x2,frac.three.y5);
62 (frac.in.x1,frac.in.y1) transformed nxf6=(frac.three.x3,frac.three.y4);
63 (frac.in.x2,frac.in.y1) transformed nxf6=(frac.three.x4,frac.three.y4);
64 (frac.in.x1,frac.in.y2) transformed nxf6=(frac.three.x3,frac.three.y5);
65
66 (frac.in.x1,frac.in.y1) transformed nxf7=(frac.four.x1,frac.four.y4);
67 (frac.in.x2,frac.in.y1) transformed nxf7=(frac.four.x2,frac.four.y4);
68 (frac.in.x1,frac.in.y2) transformed nxf7=(frac.four.x1,frac.four.y5);
```

```

69 (frac.in.x1,frac.in.y1) transformed nxf8=(frac.four.x2,frac.four.y4);
70 (frac.in.x2,frac.in.y1) transformed nxf8=(frac.four.x3,frac.four.y4);
71 (frac.in.x1,frac.in.y2) transformed nxf8=(frac.four.x2,frac.four.y5);
72 (frac.in.x1,frac.in.y1) transformed nxf9=(frac.four.x3,frac.four.y4);
73 (frac.in.x2,frac.in.y1) transformed nxf9=(frac.four.x4,frac.four.y4);
74 (frac.in.x1,frac.in.y2) transformed nxf9=(frac.four.x3,frac.four.y5);
75 (frac.in.x1,frac.in.y1) transformed nxf10=(frac.four.x4,frac.four.y4);
76 (frac.in.x2,frac.in.y1) transformed nxf10=(frac.four.x5,frac.four.y4);
77 (frac.in.x1,frac.in.y2) transformed nxf10=(frac.four.x4,frac.four.y5);
78
79 (frac.in.x1,frac.in.y1) transformed nxf11=(frac.half.x1,frac.half.y4);
80 (frac.in.x2,frac.in.y1) transformed nxf11=(frac.half.x2,frac.half.y4);
81 (frac.in.x1,frac.in.y2) transformed nxf11=(frac.half.x1,frac.half.y5);
82
83 tsu_rescale_native_zero;

```



FF0


```

84
85 begint Suglyph("fraction.1";1);
86 push_stroke(((0.25)[(frac.one.x1,frac.one.y3),(frac.one.x2,frac.one.y3)])
87   -((1.25)[(frac.one.x1,frac.one.y3),(frac.one.x2,frac.one.y3)]),
88   (2,2)-(2,2));
89 set__bosize(0,60);

```

U+FF002  
tsuku.fraction.2


```
90  tsu_render;  
91  endtsuglyph;
```



```
92  
93  begint Suglyph("fraction.2",2);  
94  push_stroke(((0.07)[(frac.two.x1,frac.two.y3),(frac.two.x3,frac.two.y3)])  
95    -(1.07[(frac.two.x1,frac.two.y3),(frac.two.x3,frac.two.y3)]),  
96    (2,2)-(2,2));  
97  set_bosize(0,60);  
98  tsu_render;  
99  endtsuglyph;
```


FF0






```
100
101 begint Suglyph("fraction.3";3);
102   push_stroke((frac.three.x1,frac.three.y3)-(frac.three.x4,frac.three.y3),
103     (2,2)-(2,2));
104   set_bosize(0,55);
105   tsu_render;
106 endtsuglyph;
```

U+FF004  
tsuku.fraction.4



```
107
108 begint Suglyph("fraction.4";4);
109   push__stroke((0.03[(frac.four.x1,frac.four.y3),(frac.four.x5,frac.four.y3]])
110     -(0.97[(frac.four.x1,frac.four.y3),(frac.four.x5,frac.four.y3)]),
111     (2,2)-(2,2));
112   set__bosize(0,50);
113   tsu__render;
114 endtsuglyph;
```

FF0



```

115
116 begintsuglyph("fraction.latn",5);
117   push_stroke(
118     ((-0.15)[(frac.half.x1,frac.half.y3),(frac.half.x2,frac.half.y3]])
119     -(1.15[(frac.half.x1,frac.half.y3),(frac.half.x2,frac.half.y3)]),
120     (2,2)-(2,2));
121   set_bosize(0,60);
122   tsu_render;
123 endtsuglyph;
124
125 make_digit_set(nxf1,"0","1");
126
127 make_digit_set(nxf2,"0","2");
128 make_digit_set(nxf3,"0","3");
129
130 make_digit_set(nxf4,"0","4");
131 make_digit_set(nxf5,"0","5");
132 make_digit_set(nxf6,"0","6");
133
134 make_digit_set(nxf7,"0","7");
135 make_digit_set(nxf8,"0","8");

```

```
136 make_digit_set(nxf9,"0","9");
137 make_digit_set(nxf10,"0","a");
138
139 make_digit_set(nxf11,"0","b");
140
141 _____
142
143 endfont;
144
145 _____
```

# tsuku-ff1.mp

```
1 %
2 % Unicode page FF1 (Fraction Denominators) for Tsukurimashou
3 % Copyright (C) 2011 Matthew Skala
4 %
5-29 [Standard copyright notice]
30
31
32
33 beginfont
34
35 input latin-intro.mp;
36 input numerals.mp;
37 input frac-intro.mp;
38
39
40
```

## Fraction Denominators

```
41 % FRACTION DENOMINATORS
42
43 transform nxf[];
44
45 (frac.in.x1,frac.in.y1) transformed nxf1=(frac.one.x1,frac.one.y1);
46 (frac.in.x2,frac.in.y1) transformed nxf1=(frac.one.x2,frac.one.y1);
47 (frac.in.x1,frac.in.y2) transformed nxf1=(frac.one.x1,frac.one.y2);
48
49 (frac.in.x1,frac.in.y1) transformed nxf2=(frac.two.x1,frac.two.y1);
50 (frac.in.x2,frac.in.y1) transformed nxf2=(frac.two.x2,frac.two.y1);
51 (frac.in.x1,frac.in.y2) transformed nxf2=(frac.two.x1,frac.two.y2);
52 (frac.in.x1,frac.in.y1) transformed nxf3=(frac.two.x2,frac.two.y1);
53 (frac.in.x2,frac.in.y1) transformed nxf3=(frac.two.x3,frac.two.y1);
54 (frac.in.x1,frac.in.y2) transformed nxf3=(frac.two.x2,frac.two.y2);
55
56 (frac.in.x1,frac.in.y1) transformed nxf4=(frac.three.x1,frac.three.y1);
57 (frac.in.x2,frac.in.y1) transformed nxf4=(frac.three.x2,frac.three.y1);
58 (frac.in.x1,frac.in.y2) transformed nxf4=(frac.three.x1,frac.three.y2);
59 (frac.in.x1,frac.in.y1) transformed nxf5=(frac.three.x2,frac.three.y1);
60 (frac.in.x2,frac.in.y1) transformed nxf5=(frac.three.x3,frac.three.y1);
61 (frac.in.x1,frac.in.y2) transformed nxf5=(frac.three.x2,frac.three.y2);
62 (frac.in.x1,frac.in.y1) transformed nxf6=(frac.three.x3,frac.three.y1);
63 (frac.in.x2,frac.in.y1) transformed nxf6=(frac.three.x4,frac.three.y1);
64 (frac.in.x1,frac.in.y2) transformed nxf6=(frac.three.x3,frac.three.y2);
65
66 (frac.in.x1,frac.in.y1) transformed nxf7=(frac.four.x1,frac.four.y1);
67 (frac.in.x2,frac.in.y1) transformed nxf7=(frac.four.x2,frac.four.y1);
68 (frac.in.x1,frac.in.y2) transformed nxf7=(frac.four.x1,frac.four.y2);
```

```

69 (frac.in.x1,frac.in.y1) transformed nxf8=(frac.four.x2,frac.four.y1);
70 (frac.in.x2,frac.in.y1) transformed nxf8=(frac.four.x3,frac.four.y1);
71 (frac.in.x1,frac.in.y2) transformed nxf8=(frac.four.x2,frac.four.y2);
72 (frac.in.x1,frac.in.y1) transformed nxf9=(frac.four.x3,frac.four.y1);
73 (frac.in.x2,frac.in.y1) transformed nxf9=(frac.four.x4,frac.four.y1);
74 (frac.in.x1,frac.in.y2) transformed nxf9=(frac.four.x3,frac.four.y2);
75 (frac.in.x1,frac.in.y1) transformed nxf10=(frac.four.x4,frac.four.y1);
76 (frac.in.x2,frac.in.y1) transformed nxf10=(frac.four.x5,frac.four.y1);
77 (frac.in.x1,frac.in.y2) transformed nxf10=(frac.four.x4,frac.four.y2);
78
79 (frac.in.x1,frac.in.y1) transformed nxf11=(frac.half.x1,frac.half.y1);
80 (frac.in.x2,frac.in.y1) transformed nxf11=(frac.half.x2,frac.half.y1);
81 (frac.in.x1,frac.in.y2) transformed nxf11=(frac.half.x1,frac.half.y2);
82
83 tsu_rescale_full;
84 make_digit_set(nxf1,"1","1");
85
86 tsu_rescale_native_zero;
87 make_digit_set(nxf2,"1","2");
88 tsu_rescale_full;
89 make_digit_set(nxf3,"1","3");
90
91 tsu_rescale_native_zero;
92 make_digit_set(nxf4,"1","4");
93 make_digit_set(nxf5,"1","5");
94 tsu_rescale_full;
95 make_digit_set(nxf6,"1","6");
96
97 tsu_rescale_native_zero;
98 make_digit_set(nxf7,"1","7");
99 make_digit_set(nxf8,"1","8");
100 make_digit_set(nxf9,"1","9");
101 tsu_rescale_full;
102 make_digit_set(nxf10,"1","a");
103
104 tsu_rescale_native_narrow;
105 make_digit_set(nxf11,"1","b");
106
107 _____
108
109 endfont;
110
111 _____

```