


Fira Sans Cond Italic

Technical Documentation



Copyright © 2015 by edenspiekermann_

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written consent of the publisher.

This publication and the information herein is furnished AS IS, is subject to change without notice, and should not be construed as a commitment by edenspiekermann_. edenspiekermann_ assumes no responsibility for any errors or inaccuracies, makes no warranty of any kind (express, implied or statutory) with respect to this publication, and expressly disclaims any and all warranties of merchantability, fitness for particular purposes and noninfringement of third party rights.

Brand or product names, used in this publication, are the trademarks or registered trademarks of their respective holders.

For questions and comments please contact:

Edenspiekermann AG
30 Cove Road
Belvedere, California 94920
USA
Tel.: +1 415 519 5949
e-Mail: info@us.edenspiekermann.com
Internet: www.edenspiekermann.com

Document generated 2015/11/30-20:36:29
with e-font PDF Generator

Table of Content

Encoded Characters	4
Basic Latin	4
Latin-1 Supplement	4
Latin Extended-A	5
Latin Extended-B	5
Spacing Modifier Letters	5
Combining Diacritical Marks	5
Greek and Coptic	6
Latin Extended Additional	6
General Punctuation	6
Superscripts and Subscripts	6
Currency Symbols	6
Letterlike Symbols	6
Number Forms	7
Arrows	7
Mathematical Operators	7
Miscellaneous Technical	7
Geometric Shapes	7
Miscellaneous Mathematical Symbols-B	7
Latin Extended-D	8
Alphabetic Presentation Forms	8
Arabic Presentation Forms-B	8
Unencoded Glyphs	9
Small Capitals From Capitals, Small Capitals	9
Contextual Alternates, Stylistic Set 3	9
Case-Sensitive Forms	9
Discretionary Ligatures	10
Denominators	10
Denominators, Fractions	10
Fractions, Numerators	10
Localized Forms	10
Numerators	10
Old Style Figures, Proportional Figures	11
Old Style Figures, Tabular Figures	11
Small Capitals	11
Tabular Figures	11
Slashed Zero	12
Other	12
OpenType Layout Features	13
Substitution Features	13
Positioning Features	14
Codepages	15
MacOS	15
MS Windows	15
ISO	15
Languages	16

Encoded Characters

All encoded characters should be accessible with every unicode capable application.

For details about Unicode Blocks visit the [Unicode Website](https://unicode.org/).

Basic Latin

Block from 0000 to 007F

000D	0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	002C	002D	002E
		!	"	#	\$	%	&	'	()	*	+	,	-	.
002F	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039	003A	003B	003C	003D	003E
/	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>
003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E
?	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N
004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E
O	P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^
005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	006C	006D	006E
_	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n
006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D	007E
o	p	q	r	s	t	u	v	w	x	y	z	{		}	~

Latin-1 Supplement

Block from 0080 to 00FF

00A0	00A1	00A2	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AB	00AC	00AD	00AE	00AF	00B0
	ı	ç	£	¤	¥	¦	§	¨	©	«	¬	-	®	¯	°
00B1	±	²	³	´	µ	¶	·	¸	¹	»	¼	½	¾	¿	À
00C2	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï	Ð
00D2	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß	à
00E2	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï	ð
00F2	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ	

Latin Extended-A

Block from 0100 to 017F

[illegible]

Latin Extended-B

Block from 0180 to 024F

0192 0218 0219 021A 021B

f S s T t

Spacing Modifier Letters

Block from 02B0 to 02FF

02C6	02C7	02D4	02D6	02D7	02D8	02D9	02DA	02DB	02DC	02DD	02DE	02E0	02E4	02E5	02E6
^	✓	⊥	+	−	⤿	•	◦	◌	~	”	↯	⧻	⤿	7	†
02E7	02E8	02E9	02EE												
†	†	†	”												

Combining Diacritical Marks

Block from 0300 to 036F

0300	0301	0302	0303	0304	0306	0307	0308	030A	030B	030C	0312	0326	0327	0328
✓	✓	✓	~	—	✓	•	••	0	//	✓	✓	,	✓	✓

Greek and Coptic

Block from 0370 to 03FF

0374 0375 037E 0387 03F6
 ‘ , ; • Æ

Latin Extended Additional

Block from 1E00 to 1EFF

1E80 1E81 1E82 1E83 1E84 1E85 1EF2 1EF3
 ð ñ ò ó ô õ ÿ ÿ

General Punctuation

Block from 2000 to 206F

2007 2008 200B 200C 200D 200E 200F 2012 2013 2014 2015 2016 2018 2019 201A 201C
 / / / / — — — — // ‘ ’ , “
 201D 201E 2020 2021 2022 2026 2030 2039 203A 203F 2044 204A
 ” „ † ‡ • … ‰ ‹ › ⁂ ⁄ 7

Superscripts and Subscripts

Block from 2070 to 209F

2070 2074 2075 2076 2077 2078 2079 207A 207B 207C 207D 207E 2080 2081 2082 2083
 0 4 5 6 7 8 9 + - = () 0 1 2 3
 2084 2085 2086 2087 2088 2089 208A 208B 208C 208D 208E
 4 5 6 7 8 9 + - = ()

Currency Symbols

Block from 20A0 to 20CF

20AC 20AF 20B9 20BA 20BD
 € ₧ ₹ ₧ ₧

Letterlike Symbols

Block from 2100 to 214F

2113 2116 2122 2126 212E
 ℓ № ™ Ω e

Number Forms

Block from 2150 to 218F

2153 2154 2155 2156 2157 2158 2159 215A 215B 215C 215D 215E 215F
 $\frac{1}{3}$ $\frac{2}{3}$ $\frac{1}{5}$ $\frac{2}{5}$ $\frac{3}{5}$ $\frac{4}{5}$ $\frac{1}{6}$ $\frac{5}{6}$ $\frac{1}{8}$ $\frac{3}{8}$ $\frac{5}{8}$ $\frac{7}{8}$ $\frac{1}{}$

Arrows

Block from 2190 to 21FF

2190 2191 2192 2193 21E6 21E7 21E8 21E9 21EA
 \leftarrow \uparrow \rightarrow \downarrow \Leftrightarrow \Uparrow \Rightarrow \Downarrow \Updownarrow

Mathematical Operators

Block from 2200 to 22FF

2202 2205 2206 220F 2211 2212 2215 2219 221A 221E 222B 2248 2260 2264 2265 22C5
 ∂ \emptyset Δ \prod Σ $-$ $/$ \cdot $\sqrt{}$ ∞ \int \approx \neq \leq \geq \cdot

Miscellaneous Technical

Block from 2300 to 23FF

2326 2327 2328 232B 23CE
 \boxtimes \boxtimes \boxtimes \boxtimes \boxtimes

Geometric Shapes

Block from 25A0 to 25FF

25AF 25CA
 \square \diamond

Miscellaneous Mathematical Symbols-B

Block from 2980 to 29FF

2999
 \vdots

Latin Extended-D

Block from A720 to A7FF

A789 A78A

⋮ =

Alphabetic Presentation Forms

Block from FB00 to FB4F

FB01 FB02

fi *fl*

Arabic Presentation Forms-B

Block from FE70 to FEFF

FEFF

Unencoded Glyphs

All unencoded glyphs are accessible with OpenType layout feature capable applications.
For a complete list of supported OpenType layout features see the next section.

Small Capitals From Capitals, Small Capitals

A Á Ą Â Ä À Ā Ą Å Ã Æ B C Č Ć Ç
 Ĉ Ċ Đ Ď Ē E É Ě Ê Ë Ė È Ē Ė F G
 Ğ Ġ Ģ H Ĥ I Í Î Ï Ĳ Ĵ Ķ ĸ
 L Ł Ĺ Ľ Ļ Ł M N Ń Ņ Ň Ŋ Ō Ó Ô
 Ö Ò Ő Œ Ø Õ Œ P Þ Q R Ř Ŗ S Š
 Š Ş Ş T Ƨ Ƿ Ț Ț U Ú Û Ü Ù Ũ Ū Ŭ
 Ů V W Ẁ Ẃ Ẅ X Y Ȳ Ŷ Ÿ Ẓ Ẕ ẖ
 Ẑ Ẓ Ẕ ẖ Ẑ Ẓ Ẕ ẖ Ẑ Ẓ Ẕ ẖ Ẑ Ẓ Ẕ ẖ
 Ẑ Ẓ Ẕ ẖ Ẑ Ẓ Ẕ ẖ Ẑ Ẓ Ẕ ẖ Ẑ Ẓ Ẕ ẖ

Contextual Alternates, Stylistic Set 3

Œ

Case-Sensitive Forms

ı ı { } [] () — — — — « » ‹ ›

∞ \cdot \backslash $/$ $//$ \wedge \vee \cup \emptyset \sim $-$ \neq \prec \succ ∇
 \wedge \dots \cdot \backslash $//$ $-$ \emptyset \sim

Discretionary Ligatures

fi fl

Denominators

$$(\quad) = - +$$

Denominators, Fractions

0 1 2 3 4 5 6 7 8 9

Fractions, Numerators

0 1 2 3 4 5 6 7 8 9

Localized Forms

Ć Ń Ó Ś Ź i ć ń ó ś ź ć ń ó ś ź
ó ó ó

Numerators

$$(\quad) = - +$$

Old Style Figures, Proportional Figures

0 1 2 3 4 5 6 7 8 9 # - ¢ ¤ \$ ™
 € £ ₣ ₹ £ ¥ ≈ ~ ÷ = > ≥ ∞ ∫ < ≤
 ¬ − × ≠ ∂ ‰ ‰ + ± ∏ √ Σ ∅ § ° †
 ‡

Old Style Figures, Tabular Figures

0 1 2 3 4 5 6 7 8 9 # - ¢ ¤ \$ ™
 € £ ₣ ₹ £ ¥ ≈ ~ ÷ = > ≥ ∞ ∫ < ≤
 ¬ − × ≠ ∂ ‰ ‰ + ± ∏ √ Σ ∅ § ° †
 ‡

Small Capitals

FI FL FI FL N ß

Tabular Figures

0 1 2 3 4 5 6 7 8 9 # - ¢ ¤ \$ ™
 € £ ₣ ₹ £ ¥ ≈ ~ ÷ = > ≥ ∞ ∫ < ≤
 ¬ − × ≠ ∂ ‰ ‰ + ± ∏ √ Σ ∅ § ° †
 ‡

Slashed Zero

0 0 0 0

Other

/ / ' ¸

OpenType Layout Features

For details about OpenType Layout Features see the [OpenType Layout tag registry](#).

Substitution Features



Access All Alternates

This feature makes all variations of a selected character accessible.



Small Capitals

This feature turns lowercase characters into small capitals. This corresponds to the common SC font layout. It is generally used for display lines set in Large and small caps, such as titles. Forms related to small capitals, such as oldstyle figures, may be included.



Small Capitals From Capitals

This feature turns capital characters into small capitals.



Contextual Alternates

In specified situations, replaces default glyphs with alternate forms which provide better joining behavior.



Standard Ligatures

Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers the ligatures which the designer/manufacturer judges should be used in normal conditions.



Discretionary Ligatures

Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers those ligatures which may be used for special effect, at the user's preference.



Old Style Figures

This feature changes selected figures from the default lining style to oldstyle form.



Lining Figures

This feature changes selected figures from oldstyle to the default lining form.



Proportional Figures

Replaces figure glyphs set on uniform (tabular) widths with corresponding glyphs set on glyph-specific (proportional) widths.



Tabular Figures

Replaces figure glyphs set on proportional widths with corresponding glyphs set on uniform (tabular) widths.



Slashed Zero

Some fonts contain both a default form of zero, and an alternative form which uses a diagonal slash through the counter. This feature allows the user to change from the default 0 to a slashed form.



Numerators

Replaces selected figures which precede a slash with numerator figures, and replaces the typographic slash with the fraction slash.



Denominators

Replaces selected figures which follow a slash with denominator figures.



Fractions

Replaces figures separated by a slash with 'common' (diagonal) fractions.



Superscript

Replaces lining or oldstyle figures with superior figures (primarily for footnote indication), and may replace lowercase letters with superior letters (primarily for abbreviated French titles).



Subscript

The "subs" feature may replace a default glyph with a subscript glyph.



Ordinals

Replaces default alphabetic glyphs with the corresponding ordinal forms for use after figures.



Case-Sensitive Forms

Shifts various punctuation marks up to a position that works better with all-capital sequences or sets of lining figures; also changes oldstyle figures to lining figures.



Localized Forms

This feature enables localized forms of glyphs to be substituted for default forms.



Stylistic Set 3

Positioning Features



Capital Spacing

Globally adjusts inter-glyph spacing for all-capital text. Most typefaces contain capitals and lowercase characters, and the capitals are positioned to work with the lowercase. When capitals are used for words, they need more space between them for legibility and esthetics.



Kerning

Adjusts amount of space between glyphs, generally to provide optically consistent spacing between glyphs.



Mark Positioning

Positions mark glyphs with respect to base glyphs.



Mark to Mark Positioning

Positions marks with respect to other marks. Required in various non-Latin scripts like Arabic.

Codepages

MacOS

MacOS Central Europe

MS Windows

MS Windows 1250 Central European

MS Windows 1257 Baltic

ISO

ISO 8859-2 Latin 2 (Central Europe)
ISO 8859-13 Latin 7 (Baltic 2)

ISO 8859-16 Latin 10

Languages

Information about languages is mainly based on the Unicode Common Locale Data Repository. For details visit the [Unicode CLDR Project](#).

Afar	Galician	Manx	Slovak
Afrikaans	Ganda	Maori	Slovenian
Albanian	German	Moldavian	Soga
Asu	Gusii	Morisyen	Somali
Basque	Hungarian	North Ndebele	Sorbian, Lower
Bemba	Icelandic	Norwegian Bokmål	Sorbian, Upper
Bena	Indonesian	Norwegian Nynorsk	Sotho, Northern
Bosnian	Interlingua	Nyanja	Sotho, Southern
Breton	Irish	Nyankole	South Ndebele
Catalan	Italian	Occitan	Spanish
Chiga	Jju	Oromo	Swahili
Cognian	Kabuverdianu	Polish	Swati
Cornish	Kalenjin	Portuguese	Swedish
Croatian	Kinyarwanda	Romanian	Swiss German
Czech	Koro	Romansh	Taita
Danish	Kurdish	Rombo	Taroko
Dutch	Latvian	Rwa	Teso
English	Lithuanian	Saho	Tsonga
Estonian	Low German	Samburu	Tswana
Faroese	Luo	Sami Northern	Tyap
Filipino	Luyia	Sango	Vunjo
Finnish	Machame	Sena	Welsh
French	Makonde	Serbian	Wolof
Frisian West	Malagasy	Shambala	Xhosa
Friulian	Malay	Shona	Zulu
Ga	Maltese	Sidamo	