


# FontAnvil 0.1



Visit the FontAnvil home page at <http://tsukurimashou.sourceforge.jp/fontanvil.php>

FontAnvil user manual  
Copyright © 2014 Matthew Skala

This document is free: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This document is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this document. If not, see <http://www.gnu.org/licenses/>.

*The above license for the document itself notwithstanding, the FontAnvil software described in this document comprises the work of many different copyright holders who have licensed their contributions under a variety of terms. The package as a whole is GPL, but some portions of it are also available under less restrictive licenses. See the “Licensing” chapter of this document for more information.*

Anvil clip-art by “Gerald\_G,” public domain.

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
<b>2</b>	<b>Building FontAnvil</b>	<b>7</b>
2.1	Dependencies . . . . .	7
2.2	From a version control checkout . . . . .	7
2.3	From a distribution package . . . . .	8
2.4	FontAnvil and Tsukurimashou . . . . .	8
<b>3</b>	<b>Data model</b>	<b>9</b>
3.1	Fonts in memory . . . . .	9
3.2	Glyphs and slots . . . . .	10
3.3	Encodings . . . . .	12
3.4	The <code>.notdef</code> glyph . . . . .	14
3.5	The clipboard . . . . .	14
3.6	Look-up tables . . . . .	14
<b>4</b>	<b>Language reference</b>	<b>15</b>
4.1	Basic syntax . . . . .	15
4.2	Data types, variables, and scope . . . . .	16
4.3	Operators . . . . .	17
4.4	Control structures . . . . .	17
4.5	Most of the built-in functions . . . . .	17
4.6	Built-in functions in FontAnvil and not in FontForge . . . . .	18
4.7	Built-in functions in FontForge and not in FontAnvil . . . . .	18
4.8	Other notes . . . . .	18
<b>5</b>	<b>Licensing</b>	<b>19</b>

# Chapter 1

## Introduction

FontAnvil is a script language interpreter for manipulating fonts. FontAnvil is substantially compatible with the PfaEdit/FontForge native scripting language, but FontAnvil is intended for non-interactive use; for instance, invocation from the build systems of font packages like Tsukurimashou. To better serve font package build systems in general and Tsukurimashou in particular, FontAnvil has no GUI and, to a reasonable extent, avoids dependencies on external packages.

There was a program called PfaEdit for editing fonts in Postscript ASCII format (`.pfa` files). PfaEdit development continued for many years, it changed its name to FontForge, and it became the *de facto* standard font editing program in the free software community. FontForge is still under active development to this day. The main focus of FontForge is on interactive editing by GUI users, and the proportion of its code and development effort dedicated to such users is large and growing.

PfaEdit had a scripting language, which as far as I know never had an official name. I will call it “PE script” in the interests of neutrality; the traditional filename extension for files in this language is `.pe`. Development of PE script continued into the FontForge era. Many free font packages use PE scripts executed by FontForge to process font files non-interactively in the context of a build system. I myself maintain the Tsukurimashou Project (<http://tsukurimashou.sourceforge.jp/>), which processes fonts using PE scripts on a massive scale (thousands of script invocations per build).

Attempting to use a large and steadily-growing GUI program as a non-interactive script language interpreter is not always convenient. The many external libraries needed to build FontForge implicitly become dependencies of any font package that needs FontForge for its build system; and it is not easy to get users to install them all correctly just to build a font package. It is also hard to predict whether a given version of FontForge will actually work for a given script: with GUI enhancements, and even social network features, as the strategic priorities for FontForge development, it is frequently the case that the stable and correct execution of scripts is not at the top of the priority list, and bugs in script processing are fixed late if at all.

There was a recent proposal to remove PE script from FontForge entirely, which if adopted would be fatal to systems that depend on it, and not at all adequately addressed by the concomitant proposal to encourage current PE script users to “upgrade” to Python. That particular proposal was not immediately implemented, but it seems clear that the writing is on the wall for continued FontForge support of PE script. The mere *risk* of possibly losing PE scripting in up-to-date versions of widely-used Linux distributions at some

unspecified point in the future is a big problem for the Tsukurimashou Project. FontForge for all its good points can no longer be thought of as a stable platform for non-interactive font manipulation; its priorities are other things entirely. But my own project absolutely requires a stable platform for non-interactive font manipulation. FontAnvil is intended to fill the gap.

FontAnvil's development is driven by the needs of the Tsukurimashou Project, but my hope is that it will also be useful to the many other projects currently using PE scripts for non-interactive font processing. I am also a member of the FontForge development team, and I hope that FontAnvil's existence will reduce the pressure on the FontForge team to continue development of code that is outside most of the team's interests and expertise. Splitting the PE script interpreter into a standalone package should be beneficial to almost everyone involved.

Some plans and goals for FontAnvil are:

- Whatever Tsukurimashou needs from a font manipulation script interpreter.
- A “remove overlaps” command that works.
- No GUI, Python, or exotic dependencies.
- No recursive Autotools.
- Correct memory management.
- Simple directory and linking structure (in particular, no unnecessary shared libraries).
- Main code repository in Subversion.

FontAnvil's departure point from FontForge was at this tagged revision on Github: <https://github.com/mskala/fontforge/releases/tag/fontanvil>. That is not a mainline FontForge revision; it was synthesized by merging the mainline master as of roughly February 5, 2014 with a few patches from other branches that were current as of the beginning of March. From there I copied the code into a private Subversion server (private because I don't want to publish some intermediate revisions that lack proper copyright notices) and ripped out most of the code that was not required by FontAnvil, that being the majority of the package. I simplified the structure of the package and the build system along the way. Removing the last traces of dead code will be a long-term project. The first public revision of FontAnvil was added as a subdirectory to the Tsukurimashou Project's Subversion server on March 4, 2014. Future releases will be available through Tsukurimashou's Web site.

Since FontAnvil and FontForge are free software under compatible license terms and share many potential users and one developer, there is some possibility for cross-pollination and sharing of code and ideas between the two. However, I do not think it is likely that I will spend much time trying to import future development from FontForge into FontAnvil, nor that the FontForge team will spend much time trying to import future development from FontAnvil into FontForge. Not much future development on either project will be particularly relevant to the other. The two projects have different goals and policies and are likely to diverge. However, since PE script is mature and neither side is likely to drastically change the language, I think it is likely that for the most part FontAnvil and

FontForge will be able to run each other's scripts for as long as FontForge chooses to include a PE script interpreter.

Of all the parts of a forge, an anvil is simple, an anvil is trustworthy, and most of all, *an anvil is stable*.

Matthew Skala

mskala@ansuz.sooke.bc.ca

<http://ansuz.sooke.bc.ca/>

## Chapter 2

# Building FontAnvil

There are no immediate plans to build binary distribution packages; to use this code you will have to build it yourself from sources.

### 2.1 Dependencies

Building FontAnvil requires several libraries and other resources. ~~FIXME~~ they should be listed here.

Building from a version control checkout also requires recent Autotools.

### 2.2 From a version control checkout

FontAnvil is available by anonymous Subversion checkout from <http://svn.sourceforge.jp/svnroot/tsukurimashou/trunk/fontanvil/>. That is the main public repository for FontAnvil source code, and checking out from there is (at least for the moment, while the code is in flux) the preferred way to obtain FontAnvil. The Tsukurimashou repository as a whole is also mirrored on Github at <https://github.com/mskala/Tsukurimashou.git>, but Git unfortunately does not offer any easy way to clone only the FontAnvil portion of the repository.

The version control system does not track files that would be included in a distribution tarball but can be built automatically from source files already under version control, and “configure” is one such, so it is necessary to create it before building. This will require having recent GNU Autotools on your system.

```
autoreconf
automake --add-missing
autoreconf
```

All three steps are necessary: the first autoreconf will fail, but creates files needed by automake, which in turn creates files needed for autoreconf to finish its work. All these commands will probably give a lot of error and warning messages. Then you can build and install in the usual way:

```
./configure
make
```

```
# as root:
make install
```

The configure script supports `--help` and most of the usual options. Note that FontAnvil’s configure is a work in progress and may not correctly detect or handle some libraries that it should. Also still to do is a nice display at the end of the configure run showing what libraries were and were not found.

The build system should automatically detect and use multiple cores on a computer that has them.

## 2.3 From a distribution package

Distribution packages are available from the FontAnvil home page at <http://tsukurimashou.sourceforge.jp/fontanvil.php>.

Building from one is much the same as building from a version control checkout, minus the need to build `configure`. Unpack the tarball file and do the usual Autotools build:

```
./configure
make
# as root:
make install
```

## 2.4 FontAnvil and Tsukurimashou

FontAnvil’s reason for existence is to support Tsukurimashou, and its source control repository is a subdirectory of the Tsukurimashou source control repository, but FontAnvil is not a “parasite” of Tsukurimashou in the technical sense of that term defined by the Tsukurimashou build system. Building Tsukurimashou will not automatically also build FontAnvil. FontAnvil does not require Tsukurimashou to build. (The very latest development version of) Tsukurimashou will look for FontAnvil and use it if found, but will not look inside its own subdirectories—only in the usual PATH search used for other utility programs. If Tsukurimashou does not find an executable in the search path named “fontanvil,” it will fall back to looking for one called “fontforge,” just like earlier versions did.

If you want to use FontAnvil to build Tsukurimashou, you should build and install FontAnvil first in the usual way, and then start building Tsukurimashou.

All bug reports and other tickets for FontAnvil should be filed through the Tsukurimashou ticket tracker at <http://sourceforge.jp/projects/tsukurimashou/ticket/>. Set the “Component” field to “FontAnvil.”

As a courtesy to Github users, Tsukurimashou’s entire source control system (including FontAnvil) is mirrored in my Github account at <https://github.com/mskala>. But sourceforge.jp remains the authoritative public home of the project. You are welcome to clone the repository—that is why it’s there—but the semi-automated gateway from Subversion to Git is one-way. Do not file tickets for FontAnvil on Github.



## Chapter 3

# Data model

Very many difficulties users have with font editing (both scripted and interactive) come from an incomplete understanding of the data model involved: what entities exist in a font and a font editor and what relationships those entities have with each other. The distinction between glyphs and characters seems to be an especially frequent cause of confusion. This chapter attempts to describe FontAnvil’s data model in a way that will be useful to script programmers.

### 3.1 Fonts in memory

Because PE script was originally designed for controlling a GUI font editor, it treats fonts as documents to be opened and closed, much as a GUI editor might.

At any given time there exists a global set of fonts that are *open*. These are stored in RAM. Open fonts are associated with filenames, even if the filenames do not actually exist on disk; the interpreter will assign temporary filenames (usually similar to “`Untitled1.sfd`”) to fonts that were created in memory and not loaded from files. The filenames should be unique (no more than one open font sharing a filename), and it’s not easy to create a situation where they are non-unique, but I suspect that having distinct open fonts with duplicate filenames may be technically possible and likely to trigger bugs if attempted.

The set of open fonts is technically a sequence (with a specific order), not an unordered set, and the order is visible to scripts through the `$firstfont` and `$nextfont` built-in variables, but this fact is seldom important.


At most one of the open fonts may be the *current font*. This state is global. Most font-editing operations implicitly apply to the current font. The `Open()` built-in function sets the current font, but its exact behaviour is context-sensitive. If the specified filename is already an open font, then `Open()` just sets the current font to that one. If the specified filename is *not* already an open font, then `Open()` loads it from disk, causing it to become an open font, before setting the current font to that one.

When the interpreter starts up, the set of open fonts is empty and there is no current font. In this state, any operation that implicitly refers to the current font will fail; scripts can only use a small subset of the language to create or open a font make it current. The `Close()` built-in function removes the current font from the set of open fonts (without saving it to disk—that must be done as a separate operation if saving is desired) and places the interpreter back into the state of having no current font. Note that the existence of a no-font state is a difference between PE script and the FontForge GUI. The GUI insists on

always having at least one open font and always having a current font, enforcing this rule by automatically loading fonts from earlier editing sessions, automatically creating a new empty font if the load fails, choosing another open font to be current when one is closed, and terminating the program when the last font is closed.

## 3.2 Glyphs and slots

Here are two pictures of Don Quixote.<sup>1</sup>



The pictures are different, but they are pictures of the same fictional character. In the same way, we can have several pictures of the same character in a writing system.

a a a

What these three “a”s share is the *character*; what they do not share is the *glyph*. Fonts contain collections of glyphs, concrete things, which are pictures of characters, abstract things. It is often the case that in any given font, each glyph corresponds to exactly one character and vice versa; but there are many important exceptions to that rule. To understand how FontAnvil processes fonts it is important to bear in mind that fonts are collections of glyphs, and glyphs are not the same thing as characters despite being closely connected with characters.

This glyph (the classic ff-ligature) is not associated with one character, but with a sequence of two characters:

ff

There is no double-f character, as a separate abstract entity distinct from just two ordinary “f”s in a row, in the English language. There is no standard character code for such a thing.<sup>2</sup> Nonetheless a font for high-quality typesetting of English must contain a glyph for this double-f entity that is not quite a character. Despite such exceptions, one glyph per character is true most of the time in English. In some other languages, the conceit of glyph-character equivalence breaks down entirely. In Arabic, for example, many

<sup>1</sup>Left: Gustave Doré, 1863. Right: Honoré Daumier, 1868.

<sup>2</sup>Actually, there is one in Unicode, but you’re not supposed to really use it; the details of that are beyond the scope of this discussion.

characters have four or more visual forms requiring separate glyphs in a font, depending on how they connect to neighbouring characters.

FontAnvil represents a font in memory as including a zero-based array of *glyph slots*. The array is variable-sized, but it is a true array data structure, not a list: all slots from index 0 up to one less than the number of slots exist as long as the in-memory font does. Creating a new glyph means overwriting the possibly-blank previous contents of some slot. Destroying a glyph means filling the slot with a blank glyph, but the slot continues to exist. Changing the number of slots can only be done by increasing or decreasing the length of the array, and encodings (described in the next section) may constrain the number of slots.

Glyph slots in a font always have *glyph numbers* which are their indices in the array. Glyphs in a font cannot meaningfully be said to be in any specific order other than the order determined by the array indices. Every glyph has a number, and every number has a glyph slot. No two glyphs can have the same slot; two slots may contain identical glyphs, or even a “reference” from one to the other, but the two slots’ contents will not truly be the same entity. A glyph slot might be *blank*, that is devoid of outlines and other data, and people usually think of such slots as not really being glyphs. But some attributes of a glyph slot (such as its name) are required to always have non-null values, even on blank slots.

FontAnvil’s in-memory glyph slots can be blank but never truly empty. However, most on-disk file formats *do* have a concept of a glyph failing to exist at all. Blank slots are usually not written when saving from memory to disk, and loading a file from disk to memory that does not fill all slots will usually leave the others blank.

Every open font has a *selection*, which specifies a set of the glyph slots (more about glyph slots in the next section). Many editing operations implicitly operate on the selection of the current font. Although every open font has a selection, usually only the selection of the current font is relevant. Open fonts retain their selections through changes in which open font is current.

The selection is actually a sequence, not a set, of glyph slots. That means the slots in it can be selected in a specific order. This distinction is relevant in the FontForge GUI, where you can select several glyphs in a specific order, open a “Metrics” window, and have them come up in the order you selected them. However, each glyph slot can appear at most once in the selection, and the order of the selection is seldom if ever observable or controllable from the scripting language. It is usually better to think of it as a set with no specific order, not as a sequence.

The selection is applied at the level of glyph slots. It is perfectly possible for the selection to include blank glyph slots, because it is defined as a set of slots, not a set of non-blank glyphs. Nonetheless, one often only cares about the non-blank glyphs, and some commands for manipulating the selection will automatically limit themselves to slots that are not blank.

Glyph slot numbers *may or may not* be closely connected to Unicode, ASCII, or other character codes, depending on issues discussed in the next section. It is important to be aware that glyph slot numbers are not the same type of entity as character codes, despite sometimes having equal numerical values.

### 3.3 Encodings

Fonts do not exist solely to be edited with FontAnvil. To be useful, a font must eventually be saved in some format understandable by a word processor or similar application; and the external software must be able to associate the glyphs in the font with the characters in text that will be typeset using the font. There will necessarily exist some *code* that associates numbers called *code points* with the different characters that might appear in text, and a font file must explicitly or implicitly describe which code points go with which glyphs. It is worth emphasizing that code points refer to characters, *not glyphs*.

The ASCII code is familiar to many computer users, especially in the English-speaking world, but is inadequate for languages other than English. Today, nearly everybody uses a code called Unicode. Unicode's code points coincide with ASCII for all the characters covered by ASCII; but it also covers many thousands of other characters. It is supposed to be a universal code for all text in all human languages. But Unicode did not always exist and its use was not always universal. Most common font formats are designed to also accomodate character encoding schemes predating Unicode simply other than Unicode. Frequently, a font file will include translation mappings for several different codes, in the hope that software using the font can find its own preferred code among the choices. There needs to be a way to translate code points (which identify characters) into glyph numbers (which identify glyphs), even in cases like ligatures and variant glyphs where this translation is more complicated than a simple one-to-one lookup.

FontAnvil includes several mechanisms for addressing these issues, but the most significant is that of the *encoding*. The encoding is a property of each font (global to the font) and describes a set of assumptions and constraints about the relationships between code points and glyph numbers.

Every glyph slot in a font always has a glyph number, no two slots can have the same number, and the set of glyph numbers that exist is always the set of integers from 0 up to one less than the number of glyphs in the font. Every code point designates at most one glyph slot. But a glyph slot might have zero, one, or more than one code point; a code point might have no glyph slot; and the set of code points that exist might not be a simple interval of the integers. Nonetheless, the font's encoding may trigger the enforcement of constraints that make the code point situation less complicated.

Most of the possible values of the encoding field are associated with standardized character codes defined by external organizations. Each code defines a meaning for a range of code points from 0 up to some number that depends on the code. *When the encoding is associated with an externally standardized code other than Unicode*, FontAnvil enforces the following constraints:

- There must be at least as many glyph slots as there are code points in the code.
- Glyph slots in the range 0 through one less than the number of code points in the code correspond one-to-one with the code points.
- Any glyph slots with greater indices have no code points.

The case of *unencoded glyphs*, those in glyph slots beyond the end of the code point range specified by the encoding, is important. Glyphs like the ff-ligature mentioned earlier, or the

alternate forms of letters in a script like Arabic, usually fall into this category. When a word processor typesets text using a font, it starts out by translating the code points into glyphs one-for-one according to the basic code points of the glyph. The result of that translation cannot contain unencoded glyphs. But the basic one-for-one translation of code points to glyphs is only a starting point. Further processes can merge and split glyphs so that more than one character can be typeset with one glyph, one character can be typeset with more than one glyph, and which glyph goes with which character can be different in different contexts. These further processes can bring unencoded glyphs into play. The encoding does not specify the number of unencoded glyph slots that may exist after the range of encoded glyphs. The unencoded glyph slots may be manipulated by built-in functions like `SetCharCnt()`; encoded glyph slots may not be added or removed.

Each glyph slot has a property called the *Unicode number*. This is a code point (in the code that is named Unicode), but I am going to call the number in this field just a “number” to distinguish it from the code points that exist in non-Unicode encodings. When the encoding is one of the standardized non-Unicode encodings, the constraint is enforced that the Unicode number must be the correct translation (using the `iconv` library) of the glyph number for encoded glyphs, or the null value of -1 for unencoded glyphs. For example, if the font’s encoding is KOI8-R (commonly used for Russian text), then glyph slot number 241 is for the letter “ya,” which looks like a backwards R. FontAnvil will enforce the constraint that this slot’s Unicode number is 0x042F, which is the Unicode code point for that letter. “The constraint is enforced” means that if you try to change the value of the Unicode number field, the font’s encoding will be immediately changed to Custom. Editing the Unicode numbers is not compatible with keeping the encoding and its fixed mapping.

But not every value for the font’s global encoding field is associated with an external standard other than Unicode. When the font’s encoding field refers to some form of Unicode, or does not refer to an external standard, then additional special considerations apply; and in fact, these special cases are the most popular and useful values for the encoding field.

When the encoding is set to Custom, few encoding-related constraints are enforced. There may be any number of glyph slots. Any slot may have a Unicode number, or not, and there is not necessarily any relationship between the Unicode numbers and the glyph slots.

There are two Unicode encoding options, Unicode (BMP) and Unicode (Full). These each behave more or less like the non-Unicode standardized encodings. One difference is that it appears sometimes possible to set the Unicode number of a glyph slot such that it does not match its glyph number. This may be a bug. FIXME investigate further - this description may possibly be simplified if Unicode and non-Unicode turn out to really behave the same.

FIXME investigate and document the “Original” encoding option.

Glyph slots have names. All glyph slots have non-empty names, including blank slots, and all names must be unique within a font. The names are sometimes automatically assigned and may also be manipulated by script commands; but constraints (including the requirement for uniqueness) will be enforced on such manipulation.

People who think they want to edit glyph slot names are often wrong.

FIXME document name lists

### 3.4 The .notdef glyph

FIXME

### 3.5 The clipboard

There is a global entity called the *clipboard*, which holds glyph data of the kind that might be stored in glyph slots, such as outlines, anchors, and references. The clipboard is like a font in that it can store a bunch of slots' worth of data, in a definite order, but the clipboard is unlike a font in that the slots do not have meaningful numbers and it does not store slot attributes other than glyph data, such as slot names and code points.

The usual way of using the clipboard is somewhat like using the clipboard in any common GUI document editor: select some slots, do a cut or copy operation, select some other slots (even in a different font), and do a paste operation. Here is typical code to copy the uppercase ASCII alphabet from an existing font into a new font (leaving many things in the new font empty or default, which may cause problems later):

```
Open("font1.sfd");
Select('A','Z');
Copy();
New();
Select('A','Z');
Paste();
Save("font2.sfd");
```

One thing to be aware of is that `Paste()` always writes into the selection, and so you must create a nonempty selection for `Paste()` to be meaningful. This differs from a word processor that can “insert” text; FontAnvil treats a font as fixed framework of glyph slots that can only be changed by overwriting. Inserting or deleting in the middle, in a way that changes the number of slots that exist, would disrupt the framework of the encoding and is rarely, if ever, what you really want.

A glyph slot's name is associated with the glyph slot, not with the glyph data stored in the slot. The slot name will not move with the glyph data when the glyph data is cut and pasted into a new slot. Unicode code points, and any other encoding numbers, are also parts of the glyph slot and will not move with cut and pasted glyph data.

### 3.6 Look-up tables

FIXME

## Chapter 4

# Language reference

I did not invent the PE scripting language, and the person who did never fully specified or documented it. This documentation is based partly on reverse engineering; is descriptive, not prescriptive; and may not be complete, nor even correct as far as it goes. The only way to be sure what a PE script will really do is to run it and find out, like Rikki-Tikki-Tavi.

### 4.1 Basic syntax

Scripts are text files. The traditional filename extension is `.pe` ; scripts in the wild have also been seen using a `.ff` extension.

Comments may be marked in any of these ways:

```
# hash for a shell-like comment to the end of the line
```

```
// two slashes for a C++-like comment to the end of the line
```

```
/*  
C-style comment delimiters,  
which may cover multiple lines.  
*/
```

FontForge looks for a shebang line at the top, pointing at itself, and may also attempt to recognize command-line options there to distinguish between PE scripts and Python scripts. FontAnvil only supports PE scripts and is planned to more or less ignore the shebang; however, this code has not yet been worked over since its importation from FontForge and may not really work as desired at the moment.

Newlines are syntactically significant, marking the ends of statements. To continue a statement onto more than one line, you must use a backslash to escape the newline.

Semicolons also mark the ends of statements, and may be used to join multiple statements onto a single line. Semicolons at the ends of lines create empty statements, which are ignored.

PE script is case sensitive for reserved words, variable names, and built-in function names.

## 4.2 Data types, variables, and scope

Values have associated types. Variables can hold values of arbitrary type and remember what type they are. The types are:

- integer
- floating-point number
- Unicode code point (note that this is a distinct data type from “integer”)
- string
- array

Syntax for constant values looks like this:

```
# integers in decimal, hexadecimal, or octal, using C syntax
123      # first digit nonzero means decimal
0x52     # first digits 0x means hex, this is 82 decimal
041      # first digit zero and not hex means octal, this is 33 decimal

# floating-point numbers indicated by the decimal point; note the decimal
# point is always . regardless of locale
123.45   # basic decimal float
4.9e5    # scientific notation, this is 490000

# Unicode code points are hexadecimal numbers marked by 0u
0u1f4a9  # everybody's favourite

# strings have single or double quotes
'Single'
"double"
"foo\bar" # \n for newline
# it is not clear what other escapes may exist

# array literals use square brackets and commas
[1,2,3,0uABC,'foo']
```

Literal string constants in PE script syntax are limited to 256 characters. You can, however, construct longer strings with multiple literals and the concatenation operator.



The language seems intended to allow arrays to have more than one dimension (i.e. each element of an array may itself be an array) but such arrays are currently broken in both FontForge and FontAnvil, and usually cause the interpreter to crash. I hope to fix this bug in FontAnvil, but if I fix it and FontForge doesn't, then any scripts that make use of multidimensional arrays will be incompatible with FontForge.

### 4.3 Operators

FIXME

### 4.4 Control structures

FIXME

### 4.5 Most of the built-in functions

FIXME

This section should document the functions. For the moment, there is only a list:

ATan2, AddATT, AddAccent, AddAnchorClass, AddAnchorPoint, AddDHint, AddExtrema, AddHHint, AddInstrs, AddLookup, AddLookupSubtable, AddPosSub, AddSizeFeature, AddVHint, ApplySubstitution, Array, AskUser, AutoCounter, AutoHint, AutoInstr, AutoKern, AutoTrace, AutoWidth, Autotrace, BitmapsAvail, BitmapsRegen, BuildAccented, BuildComposit, BuildComposite, BuildDuplicate, CIDChangeSubFont, CIDFlatten, CIDFlattenByCMap, CIDSetFontNames, CanonicalContours, CanonicalStart, Ceil, CenterInWidth, ChangePrivateEntry, ChangeWeight, CharCnt, CharInfo, CheckForAnchorClass, Chr, Clear, ClearBackground, ClearCharCounterMasks, ClearGlyphCounterMasks, ClearHints, ClearInstrs, ClearPrivateEntry, ClearTable, Close, CompareFonts, CompareGlyphs, ControlAfmLigatureOutput, ConvertByCMap, ConvertToCID, Copy, CopyAnchors, CopyFgToBg, CopyGlyphFeatures, CopyLBearing, CopyRBearing, CopyReference, CopyUnlinked, CopyVWidth, CopyWidth, CorrectDirection, Cos, Cut, DebugCrashFontForge, DefaultATT, DefaultOtherSubrs, DefaultRoundToGrid, DefaultUseMyMetrics, DetachAndRemoveGlyphs, DetachGlyphs, DontAutoHint, DrawsSomething, Error, Exp, ExpandStroke, Export, FileAccess, FindIntersections, FindOrAddCvtIndex, Floor, FontImage, FontsInFile, Generate, GenerateFamily, GenerateFeatureFile, GetAnchorPoints, GetCvtAt, GetEnv, GetFontBoundingBox, GetLookupInfo, GetLookupOfSubtable, GetLookupSubtables, GetLookups, GetMaxpValue, GetOS2Value, GetPosSub, GetPref, GetPrivateEntry, GetSubtableOfAnchorClass, GetTTFName, GetTeXParam, GlyphInfo, HFlip, HasPReservedTable, HasPrivateEntry, Import, InFont, Inline, Int, InterpolateFonts, IsAlNum, IsAlpha, IsDigit, IsFinite, IsHexDigit, IsLower, IsNan, IsSpace, IsUpper, Italic, Join, LoadEncodingFile, LoadNamelist, LoadNamelistDir, LoadPrefs, LoadStringFromFile, LoadTableFromFile, Log, LookupStoreLigatureInAfm, MMaxAxisBounds, MMaxAxisNames, MMBlendToNewFont, MMChangeInstance, MMChangeWeight, MMInstanceNames, MMWeightedName, MakeLine, MergeFeature, MergeFonts, MergeKern, MergeLookupSubtables, MergeLookups, Move, MoveReference, MultipleEncodingsToReferences, NameFromUnicode, NearlyHvCps,

NearlyHvLines, NearlyLines, New, NonLinearTransform, Open, Ord, Outline, OverlapIntersect, Paste, PasteInto, PasteWithOffset, PositionReference, PostNotice, Pow, PreloadCidmap, Print, PrintFont, PrintSetup, PrivateGuess, PrivateToCvt, Quit, Rand, ReadOtherSubrsFile, Real, Reencode, RemoveATT, RemoveAllKerns, RemoveAllVKerns, RemoveAnchorClass, RemoveDetachedGlyphs, RemoveLookup, RemoveLookupSubtable, RemoveOverlap, RemovePosSub, RemovePreservedTable, RenameGlyphs, ReplaceCharCounterMasks, ReplaceCvtAt, ReplaceGlyphCounterMasks, ReplaceWithReference, Revert, RevertToBackup, Rotate, Round, RoundToCluster, RoundToInt, SameGlyphAs, Save, SavePrefs, SaveTableToFile, Scale, ScaleToEm, Select, SelectAll, SelectAllInstancesOf, SelectBitmap, SelectByATT, SelectByColor, SelectByColour, SelectByPosSub, SelectChanged, SelectFewer, SelectFewerSingletons, SelectGlyphsBoth, SelectGlyphsReferences, SelectGlyphsSplines, SelectHintingNeeded, SelectIf, SelectInvert, SelectMore, SelectMoreIf, SelectMoreSingletons, SelectMoreSingletonsIf, SelectNone, SelectSingletons, SelectSingletonsIf, SelectWorthOutputting, SetCharCnt, SetCharColor, SetCharComment, SetCharCounterMask, SetCharName, SetFeatureList, SetFondName, SetFontHasVerticalMetrics, SetFontNames, SetFontOrder, SetGasp, SetGlyphChanged, SetGlyphClass, SetGlyphColor, SetGlyphComment, SetGlyphCounterMask, SetGlyphName, SetGlyphTeX, SetItalicAngle, SetKern, SetLBearing, SetMacStyle, SetMaxpValue, SetOS2Value, SetPanose, SetPref, SetPrefs, SetRBearing, SetTTFName, SetTeXParams, SetUnicodeValue, SetUniqueID, SetVKern, SetVWidth, SetWidth, Shadow, Simplify, Sin, SizeOf, Skew, SmallCaps, Sqrt, StrJoin, StrSplit, Strcasecmp, Strcasestr, Strftime, Strlen, Strrstr, Strskipint, Strstr, Strsub, Strtod, Strtol, SubstitutionPoints, Tan, ToLower, ToMirror, ToString, ToUpper, Transform, TypeOf, UCodePoint, Ucs4, UnicodeAnnotationFromLib, UnicodeBlockEndFromLib, UnicodeBlockNameFromLib, UnicodeBlockStartFromLib, UnicodeFromName, UnicodeNameFromLib, UnicodeNamesListVersion, UnlinkReference, Utf8, VFlip, VKernFromHKern, Validate, Wireframe, WorthOutputting, WritePfm, WriteStringToFile, bAutoCounter, bDontAutoHint, bSubstitutionPoints

## 4.6 Built-in functions in FontAnvil and not in FontForge

No such functions at the moment.

## 4.7 Built-in functions in FontForge and not in FontAnvil

Because FontAnvil does not support plugins, these built-in functions have been removed from the language: LoadPlugin, LoadPluginDir.

## 4.8 Other notes

FIXME

## Chapter 5

# Licensing

George Williams put most of his work on PfaEdit, and subsequently FontForge, under licensing notices such as this one:

Copyright © [years] by George Williams

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

That is what is commonly called a *Three-Clause BSD License*. There were many subsequent contributors to the software (see the **AUTHORS** file in the root of a distribution tarball or version control checkout) and many of them were content to keep the same license terms in place, with or without adding their own names and years to the copyright notice at the top.

However, some contributors have placed additional restrictions on their work, most notably *GNU GPL3+* licenses like this one:

Copyright © [year] [contributor’s name]

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

The Free Software Foundation takes the position that the three-clause BSD license is GPL-compatible,<sup>1</sup> meaning that it is legally permissible for a package that is under GPL3+ as a whole to include material that is under three-clause BSD. The presence of GPL3+ contributions, however, forces the package as a whole to be licensed GPL3+. That being the case, both FontForge and FontAnvil should be treated as GPL3+, just with the awareness that some files may also be used separately from the package under the less restrictive three-clause BSD license.

It is the current practice of the FontForge project to encourage contributors of new material to apply GPL3+ notices to any new files, but retain the BSD notices on files that already have those. There was an incident in which someone tried to apply a patch someone else had written to a currently BSD-licensed file in FontForge—with the patch to become roughly 1/1000th of the file’s total volume. The author of the patch demanded that the whole file should become GPL3+, overriding the BSD notice on it and the apparent intentions of the previous contributors to that file. I would like to avoid such incidents.

A few files have other distribution terms. In particular, some parts of the build system have very permissive licenses.

FontForge attempts to maintain a list of all the licensing terms of all the files in the project; but their list has never been up to date, cannot reasonably be expected to ever be up to date nor to stay up to date even if it ever is at one moment, currently contains incorrect information, and seems unnecessary. I do not propose to make such a list for FontAnvil.

The current licensing policy for FontAnvil is substantially the same as that of FontForge:

- FontAnvil as a whole is covered by the GPL version 3, or any later version.
- Some files in FontAnvil are also available under less restrictive licenses. You must consult the notices in those files for details.
- I will place GPL3+ notices on new files I create within FontAnvil, and encourage others to do the same.
- I will leave files with existing broader-than-GPL notices under their existing notices (possibly adding my own name and year copyright lines), and encourage others to do the same.
- I will not accept contributions that entail drastic changes to the licensing status of work done by persons other than the contributor, and I will discourage the submission of such contributions.

---

<sup>1</sup><http://www.gnu.org/licenses/license-list.html#ModifiedBSD>

Finally, note that although FontAnvil is associated with the Tsukurimashou Project, its licensing is not identical to that of other things included in the Tsukurimashou Project.